

LABORATORY REPORT

Name	: SAFA ABDELHAMID	File. No.	: AAL02-314950
DOB/Gender	: 30-08-2000 (22 Yrs 9 Month 4 Days/Female)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231530355	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-06-2023 19:55	Clinic File No	: 40202
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
HAEMOGLOBIN VARIANTS SCREEN (HPLC)				
Haemoglobin A2 (HbA2)	2.6	%	2.2 - 3.5	HPLC
Haemoglobin F (HbF)	0.2	%	<= 1	HPLC
Haemoglobin S (HbS)	Absent	%	Absent	HPLC
Haemoglobin D (HbD)	Absent	%	Absent	HPLC

Remarks:

HPLC analysis shows normal pattern. Neither quantitative nor qualitative abnormality were detected, this result does not rule out all haemoglobinopathies. Test result to be interpreted in the light of clinical history and family background.

Kindly note that iron deficiency anaemia can mask A2 levels. It is recommended to repeat thalassemia screening after the treatment in case of iron deficiency anaemia.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 30-05-2023 19:00:00
Authenticated On : 03-06-2023 14:04:19
Printed On : 03-06-2023 14:22:32
Received On : 02-06-2023 19:56:00
Released On : 03-06-2023 14:09:35
Reprinted On : 03-06-2023 14:22:46

LABORATORY REPORT

Name	: SAFA ABDELHAMID	File. No.	: AAL02-314950
DOB/Gender	: 30-08-2000 (22 Yrs 9 Month 4 Days/Female)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231530355	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-06-2023 19:55	Clinic File No	: 40202
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Iron (serum)	81.4	ug/dL	50.0 - 170.0	Ferene
Total Iron Binding Capacity (TIBC)	324.8	ug/dL	250.0 - 450.0	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 30-05-2023 19:00:00
Authenticated On : 02-06-2023 22:26:27
Printed On : 02-06-2023 22:39:49

Received On : 02-06-2023 19:56:00
Released On : 02-06-2023 22:35:46
Reprinted On : 03-06-2023 14:22:46



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430