

LABORATORY REPORT

Name	: ROSALY IGNACIO ARELLANO	File. No.	: AAL02-323039
DOB/Gender	: 12-06-1976 (47 Yrs 16 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231750215	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 24-06-2023 15:01:50	Clinic File No	: 34070
Insurance	: No		

COAGULATION

Test Name	Result	Units	Ref. Range	Method
Prothrombin Time	28.3^H	Sec	9.4 - 12.5	Clot Detection-Optical
PT Control	10.8	Sec		Clot Detection-Optical
INR	2.60^H		Normal Individuals: 0.8 - 1.2 Therapeutic Range: 2.0 - 3.0	Calculation

INR Therapeutic Ranges:

Prophylaxis of deep vein thrombosis } 2.0 - 3.0

Treatment of deep vein thrombosis, pulomary embolism } 2.0 - 3.0

Prophylaxis of systemic embolism } 2.0 - 3.0

Recurrent systemic embolism } 2.5 - 3.5

Mechanical prosthetic heart valves } 2.5- 3.5

Kindly note new reference range for PT INR effective from 8/3/2017

Remarks:

discussed with Dr. Solmaz
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Citrate Plasma

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 24-06-2023 11:00:00 Received On : 24-06-2023 15:02:00
Authenticated On : 24-06-2023 19:49:29 Released On : 24-06-2023 19:51:43



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430