

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : AFSOON JAMSHIDI

: 14-02-1986 (37 Yrs 4 Month 10 Days/Female) Referral Doctor

Lab No. : 22231750160

Request Date : 24-06-2023 13:56:12

Insurance : No

DOB/Gender

File. No. : AAL02-323001

: Dr. Syeda Ali

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 40366

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
B-HCG (serum)	6196.47 ^H	mIU/mI	Nonpregnant: < 5.0	CMIA

B-HCG ranges during normal pregnancy are:

Weeks post LMP = B-HCG (mIU/ml)

3-4 weeks = 9-130

4-5 weeks = 75 - 2600

5-6 weeks = 850 - 20800

6-7 weeks = 4000 - 100200

7-12 weeks = 11500 - 289000

12-16 weeks = 18300 - 137000

16-29 weeks = 1400 - 53000

29-41 weeks = 940 - 60000

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

H/L Collected On: 24-06-2023 11:00:00 Received On: 24-06-2023 13:56:00 Authenticated On: 24-06-2023 14:54:02

Released On: 24-06-2023 14:57:16

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

