

LABORATORY REPORT

Name	: DIVYA VIJAY	File. No.	: AAL02-323687
DOB/Gender	: 25-03-1998 (25 Yrs 3 Month 1 Days/Female)	Referral Doctor	: Dr. Sumaiya Galib
Lab No.	: 22231770208	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-06-2023 14:17	Clinic File No	: 38222
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.69	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.0	g/dl	12.0 - 15.0	Photometry-SLS
HCT	39.0	%	36.0 - 46.0	Hydrodynamic focusing
MCV	83.2	fl	83.0 - 101.0	Calculation
MCH	25.6 ^L	pg	27-32	Calculation
MCHC	30.8 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	328	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	8.63	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	71.8	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	18.2 ^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.8	%	2-10	Flow Cytometry
Eosinophils	0.6 ^L	%	1 - 6	Flow Cytometry
Basophils	0.6	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	6.20	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.57	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.76	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-06-2023 12:00:00
Authenticated On : 26-06-2023 15:59:34
Printed On : 26-06-2023 17:44:41

Received On : 26-06-2023 14:18:00
Released On : 26-06-2023 16:28:54

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: DIVYA VIJAY	File. No.	: AAL02-323687
DOB/Gender	: 25-03-1998 (25 Yrs 3 Month 1 Days/Female)	Referral Doctor	: Dr. Sumaiya Galib
Lab No.	: 22231770208	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-06-2023 14:17	Clinic File No	: 38222
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-06-2023 12:00:00 Received On : 26-06-2023 14:18:00
Authenticated On : 26-06-2023 15:59:34 Released On : 26-06-2023 16:28:54
Printed On : 26-06-2023 17:44:41

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: DIVYA VIJAY	File. No.	: AAL02-323687
DOB/Gender	: 25-03-1998 (25 Yrs 3 Month 1 Days/Female)	Referral Doctor	: Dr. Sumaiya Galib
Lab No.	: 22231770208	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-06-2023 14:17	Clinic File No	: 38222
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	1.03	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-06-2023 12:00:00
Authenticated On : 26-06-2023 15:59:34
Printed On : 26-06-2023 17:44:41

Received On : 26-06-2023 14:18:00
Released On : 26-06-2023 16:28:54

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673