

LABORATORY REPORT

Name	: BETH NYAMBURA GICHUHI	File. No.	: AAL02-328091
DOB/Gender	: 20-06-1995 (28 Yrs 24 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231940455	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 13-07-2023 21:08	Clinic File No	: 39826
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.65	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.6	g/dl	12.0 - 15.0	Photometry-SLS
HCT	43.5	%	36.0 - 46.0	Hydrodynamic focusing
MCV	93.5	fl	83.0 - 101.0	Calculation
MCH	31.4	pg	27-32	Calculation
MCHC	33.6	g/dL	31.5 - 34.5	Calculation
Platelet Count	231	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	6.45	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	51.3	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	37.4	%	20.0 - 40.0	Flow Cytometry
Monocytes	9.1	%	2-10	Flow Cytometry
Eosinophils	1.7	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.31	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.41	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.59	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.11	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 13-07-2023 18:00:00
Authenticated On : 13-07-2023 23:02:21
Printed On : 14-07-2023 00:17:30

Received On : 13-07-2023 21:09:00
Released On : 13-07-2023 23:17:02
Reprinted On : 14-07-2023 12:32:00



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: BETH NYAMBURA GICHUHI	File. No.	: AAL02-328091
DOB/Gender	: 20-06-1995 (28 Yrs 24 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231940455	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 13-07-2023 21:08	Clinic File No	: 39826
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	0.34	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 13-07-2023 18:00:00
Authenticated On : 13-07-2023 23:02:21
Printed On : 14-07-2023 00:17:30

Received On : 13-07-2023 21:09:00
Released On : 13-07-2023 23:17:02
Reprinted On : 14-07-2023 12:32:00



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: BETH NYAMBURA GICHUHI	File. No.	: AAL02-328091
DOB/Gender	: 20-06-1995 (28 Yrs 24 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231940455	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 13-07-2023 21:08	Clinic File No	: 39826
Insurance	: No		

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	115.0 ^H	UA/mL	Negative: < 8 Doubtfull: 8 - 12 Positive: > 12	ELISA

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 13-07-2023 18:00:00
Authenticated On : 14-07-2023 10:48:40
Printed On : 14-07-2023 12:32:00

Received On : 13-07-2023 21:09:00
Released On : 14-07-2023 10:49:52

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822