

LABORATORY REPORT

Name	: FARIYA BASHIR MUHAMMAD BASHIR	File. No.	: AAL02-329418
DOB/Gender	: 10-06-1985 (38 Yrs 1 Month 9 Days/Female)	Referral Doctor	: Self
Lab No.	: 22231990400	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-07-2023 20:54	Clinic File No	: 29483
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	3.88	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.1	g/dl	12.0 - 15.0	Photometry-SLS
HCT	37.0	%	36.0 - 46.0	Hydrodynamic focusing
MCV	95.4	fl	83.0 - 101.0	Calculation
MCH	31.2	pg	27-32	Calculation
MCHC	32.7	g/dL	31.5 - 34.5	Calculation
Platelet Count	313	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	7.04	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	59.2	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	32.1	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.7	%	2-10	Flow Cytometry
Eosinophils	0.7 ^L	%	1 - 6	Flow Cytometry
Basophils	0.3	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.17	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.26	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.54	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-07-2023 20:29:00
Authenticated On : 18-07-2023 22:40:43
Printed On : 18-07-2023 23:34:53

Received On : 18-07-2023 22:08:00
Released On : 18-07-2023 22:42:22
Reprinted On : 19-07-2023 10:53:33



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: FARIYA BASHIR MUHAMMAD BASHIR	File. No.	: AAL02-329418
DOB/Gender	: 10-06-1985 (38 Yrs 1 Month 9 Days/Female)	Referral Doctor	: Self
Lab No.	: 22231990400	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-07-2023 20:54	Clinic File No	: 29483
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
<u>ERYTHROCYTE SEDIMENTATION RATE (ESR)</u>				
ESR (whole blood)	52^H	mmhr	up to 15	Modified Westergren

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-07-2023 20:29:00
Authenticated On : 18-07-2023 22:40:43
Printed On : 18-07-2023 23:34:53

Received On : 18-07-2023 22:08:00
Released On : 18-07-2023 22:42:22
Reprinted On : 19-07-2023 10:53:33



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: FARIYA BASHIR MUHAMMAD BASHIR	File. No.	: AAL02-329418
DOB/Gender	: 10-06-1985 (38 Yrs 1 Month 9 Days/Female)	Referral Doctor	: Self
Lab No.	: 22231990400	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-07-2023 20:54	Clinic File No	: 29483
Insurance	: No		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Dark Yellow		Yellow	Light Scatter
Appearance	Turbid		Clear	Light Scatter
Specific Gravity	1.018		1.005 - 1.030	Refractrometry
PH	5.50		4.6 - 8.0	pH.I/Reflectance
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-07-2023 20:39:00
Authenticated On : 18-07-2023 22:34:03
Printed On : 18-07-2023 23:34:53

Received On : 18-07-2023 20:54:00
Released On : 18-07-2023 22:35:06
Reprinted On : 19-07-2023 10:53:33



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: FARIYA BASHIR MUHAMMAD BASHIR	File. No.	: AAL02-329418
DOB/Gender	: 10-06-1985 (38 Yrs 1 Month 9 Days/Female)	Referral Doctor	: Self
Lab No.	: 22231990400	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-07-2023 20:54	Clinic File No	: 29483
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Mid-stream Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-07-2023 20:39:00
Authenticated On : 18-07-2023 22:34:03
Printed On : 18-07-2023 23:34:53

Received On : 18-07-2023 20:54:00
Released On : 18-07-2023 22:35:06
Reprinted On : 19-07-2023 10:53:33



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430