

LABORATORY REPORT

Name	: ZABEEL VAISYAM EETIL	File. No.	: AAL02-334184
DOB/Gender	: 14-06-1996 (27 Yrs 1 Month 25 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232200003	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-08-2023 09:30	Clinic File No	: 40488
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.59 ^H	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	16.4	g/dl	13.0 - 17.0	Photometry-SLS
HCT	46.4	%	40.0 - 50.0	Hydrodynamic focusing
MCV	83.0	fl	83.0 - 101.0	Calculation
MCH	29.3	pg	27-32	Calculation
MCHC	35.3 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	251	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	5.91	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	40.9	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	46.0 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.6	%	2.0-10.0	Flow Cytometry
Eosinophils	4.7	%	1 - 6	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.41	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.72	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.45	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.28	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 12:00:00
Authenticated On : 08-08-2023 12:26:29
Printed On : 08-08-2023 13:33:55

Received On : 08-08-2023 09:31:00
Released On : 08-08-2023 13:16:05
Reprinted On : 08-08-2023 16:29:18

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: ZABEEL VAISYAM EETIL	File. No.	: AAL02-334184
DOB/Gender	: 14-06-1996 (27 Yrs 1 Month 25 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232200003	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-08-2023 09:30	Clinic File No	: 40488
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 12:00:00
Authenticated On : 08-08-2023 12:26:29
Printed On : 08-08-2023 13:33:55

Received On : 08-08-2023 09:31:00
Released On : 08-08-2023 13:16:05
Reprinted On : 08-08-2023 16:29:18

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: ZABEEL VAISYAM EETIL	File. No.	: AAL02-334184
DOB/Gender	: 14-06-1996 (27 Yrs 1 Month 25 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232200003	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 08-08-2023 09:30	Clinic File No	: 40488
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid (serum)	6.97	mg/dL	3.7 - 7.7	Uricase

Kindly note new reference range for Uric acid effective from 20/1/2022

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 12:00:00
Authenticated On : 08-08-2023 12:26:29
Printed On : 08-08-2023 13:33:55

Received On : 08-08-2023 09:31:00
Released On : 08-08-2023 13:16:05
Reprinted On : 08-08-2023 16:29:18

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673