

LABORATORY REPORT

Name	: BIBIANA ABENYANG NDIP	File. No.	: AAL02-337621
DOB/Gender	: 07-01-1995 (28 Yrs 7 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232330409	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-08-2023 21:53	Clinic File No	: 39547
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.31	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	9.0 ^L	g/dl	12.0 - 15.0	Photometry-SLS
HCT	31.9 ^L	%	36.0 - 46.0	Hydrodynamic focusing
MCV	74.0 ^L	fl	83.0 - 101.0	Calculation
MCH	20.9 ^L	pg	27-32	Calculation
MCHC	28.2 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	262	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	2.82 ^L	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	47.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	40.0	%	20.0 - 40.0	Flow Cytometry
Monocytes	11.0 ^H	%	2-10	Flow Cytometry
Eosinophils	2.0	%	1 - 6	Flow Cytometry
Basophils	0.0	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	1.43 ^L	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.05	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.29	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-08-2023 14:00:00
Authenticated On : 21-08-2023 23:26:52
Printed On : 22-08-2023 11:24:05

Received On : 21-08-2023 21:54:00
Released On : 21-08-2023 23:29:15



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: BIBIANA ABENYANG NDIP	File. No.	: AAL02-337621
DOB/Gender	: 07-01-1995 (28 Yrs 7 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232330409	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-08-2023 21:53	Clinic File No	: 39547
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-08-2023 14:00:00
Authenticated On : 21-08-2023 23:26:52
Printed On : 22-08-2023 11:24:05

Received On : 21-08-2023 21:54:00
Released On : 21-08-2023 23:29:15



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: BIBIANA ABENYANG NDIP	File. No.	: AAL02-337621
DOB/Gender	: 07-01-1995 (28 Yrs 7 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232330409	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-08-2023 21:53	Clinic File No	: 39547
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	0.33	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-08-2023 14:00:00 Received On : 21-08-2023 21:54:00
Authenticated On : 21-08-2023 23:26:52 Released On : 21-08-2023 23:29:15
Printed On : 22-08-2023 11:24:05

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822