

LABORATORY REPORT

Name	: AMNA MOAZZAM	File. No.	: AAL02-338045
DOB/Gender	: 01-01-1986 (37 Yrs 8 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232380252	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-08-2023 17:44:47	Clinic File No	: 31617
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.61	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	10.0 ^L	g/dl	12.0 - 15.0	Photometry-SLS
HCT	34.7 ^L	%	36.0 - 46.0	Hydrodynamic focusing
MCV	75.3 ^L	fl	83.0 - 101.0	Calculation
MCH	21.7 ^L	pg	27-32	Calculation
MCHC	28.8 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	208	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	6.24	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	52.4	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	33.3	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.7	%	2-10	Flow Cytometry
Eosinophils	5.3	%	1 - 6	Flow Cytometry
Basophils	1.3	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.27	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.08	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.48	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.33	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.08	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening.
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-08-2023 12:00:00 Received On : 26-08-2023 17:45:00
Authenticated On : 26-08-2023 19:12:29 Released On : 26-08-2023 19:15:24

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AMNA MOAZZAM	File. No.	: AAL02-338045
DOB/Gender	: 01-01-1986 (37 Yrs 8 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232380252	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-08-2023 17:44:47	Clinic File No	: 31617
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-08-2023 12:00:00 Received On : 26-08-2023 17:45:00
Authenticated On : 26-08-2023 19:12:29 Released On : 26-08-2023 19:15:24



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AMNA MOAZZAM	File. No.	: AAL02-338045
DOB/Gender	: 01-01-1986 (37 Yrs 8 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232380252	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-08-2023 17:44:47	Clinic File No	: 31617
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Calcium (serum)	9.4	mg/dL	8.4 - 10.2	Arsenazo III
Sample Type : Serum				

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-08-2023 12:00:00 Received On : 26-08-2023 17:45:00
Authenticated On : 26-08-2023 19:12:29 Released On : 26-08-2023 19:15:24

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822