

LABORATORY REPORT

Name	: KONSTANTINA SALPA	File. No.	: AAL02-338610
DOB/Gender	: 13-07-1994 (29 Yrs 1 Month 17 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232370295	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-08-2023 21:03	Clinic File No	: 40059
Insurance	: No		

CYTOLOGY

Path. No : C23-2812

Gynaecology, Liquid-Based Cytology : hsl report given

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-08-2023 20:00:00
Authenticated On : 29-08-2023 18:58:21
Printed On : 29-08-2023 23:00:43

Received On : 28-08-2023 09:28:00
Released On : 29-08-2023 19:08:29
Reprinted On : 30-08-2023 09:50:02



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: KONSTANTINA SALPA	File. No.	: AAL02-338610
DOB/Gender	: 13-07-1994 (29 Yrs 1 Month 17 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232370295	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-08-2023 21:03	Clinic File No	: 40059
Insurance	: No		

CULTURE & SENSITIVITY - HIGH VAGINAL SWAB

Sample Type High Vaginal Swab
Methodology Microscopy; Aerobic Culture; Identification by Gram staining; API & AST by Disk diffusion method.

Test Name	Result	Units	Ref. Range
Microscopy/Wet Mount:			
PUS Cells	2 - 4	/HPF	1 - 4
Red Cells	0 - 1	/HPF	0 - 2
Epithelial Cells	10 - 12	/HPF	0 - 15
Yeast Cells	+	/HPF	Absent
Others	Nil		

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-08-2023 20:00:00
Authenticated On : 28-08-2023 08:56:09
Printed On : 28-08-2023 15:16:41

Received On : 25-08-2023 21:10:00
Released On : 28-08-2023 09:16:44
Reprinted On : 30-08-2023 09:50:02

Thamburu Raman
Med. Microbiology technologist
00160693-002