

LABORATORY REPORT

Name	: JOULE SULLIVAN	File. No.	: AAL02-340099
DOB/Gender	: 03-07-1982 (41 Yrs 1 Month 28 Days/Male)	Referral Doctor	: Self
Lab No.	: 22232420314	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 30-08-2023 21:19	Clinic File No	: 40824
Insurance	: No		

**STD 14 PANEL (REAL TIME PCR)
MOLECULAR BIOLOGY/GENETICS**

Test Name	Result	Units	Ref. Range	Method
*Neisseria Gonorrhoeae	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Glabrata	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Krusei	Not Detected		Not Detected	RT PCR (NAAT)
*Candida Albicans	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma Genitalium	Not Detected		Not Detected	RT PCR (NAAT)
*Trichomonas Vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Parvum	Not Detected		Not Detected	RT PCR (NAAT)
*Ureaplasma Urealyticum	Not Detected		Not Detected	RT PCR (NAAT)
*Mycoplasma Hominis	Not Detected		Not Detected	RT PCR (NAAT)
*HSV I	Not Detected		Not Detected	RT PCR (NAAT)
*HSV II	Not Detected		Not Detected	RT PCR (NAAT)
*Treponema Pallidum	Not Detected		Not Detected	RT PCR (NAAT)
*Gardnerella vaginalis	Not Detected		Not Detected	RT PCR (NAAT)
*Chlamydia Trachomatis	Not Detected		Not Detected	RT PCR (NAAT)

Remarks: REAL TIME PCR STIs detects the presence of microorganisms causing sexually transmitted infections in clinical samples (urine & swabs).

Detection is carried out by the specific amplification of each genotype in the sample, originating a variable fragment with limit of detection between 50 to 500 genomic pairs (copies / mL of the sample).

The detection of the product is amplified by REAL TIME PCR platform. Test result obtained through technical collaboration with Medsol group of Laboratories.

Remarks:

Test done in Urine.

Sample Type : Swab / LBC / Urine / Semen

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 30-08-2023 13:05:00
Authenticated On : 31-08-2023 11:23:40
Printed On : 31-08-2023 14:10:43

Received On : 30-08-2023 21:19:00
Released On : 31-08-2023 12:23:47

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673