

LABORATORY REPORT

Name	: NADEEM AHMAD	File. No.	: AAL02-342127
DOB/Gender	: 20-02-1983 (40 Yrs 6 Month 18 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232490389	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 06-09-2023 20:31	Clinic File No	: 40881
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.42	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.6	g/dl	13.0 - 17.0	Photometry-SLS
HCT	43.2	%	40.0 - 50.0	Hydrodynamic focusing
MCV	79.7 ^L	fl	83.0 - 101.0	Calculation
MCH	25.1 ^L	pg	27-32	Calculation
MCHC	31.5	g/dL	31.5 - 34.5	Calculation
Platelet Count	296	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	8.46	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	67.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	19.3 ^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	11.2 ^H	%	2.0-10.0	Flow Cytometry
Eosinophils	2.1	%	1 - 6	Flow Cytometry
Basophils	0.4	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	5.67	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.63	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.95	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.18	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 06-09-2023 19:00:00
Authenticated On : 06-09-2023 22:06:09
Printed On : 07-09-2023 10:17:39
Received On : 06-09-2023 20:31:00
Released On : 06-09-2023 22:16:05

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: NADEEM AHMAD	File. No.	: AAL02-342127
DOB/Gender	: 20-02-1983 (40 Yrs 6 Month 18 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232490389	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 06-09-2023 20:31	Clinic File No	: 40881
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 06-09-2023 19:00:00
Authenticated On : 06-09-2023 22:06:09
Printed On : 07-09-2023 10:17:39

Received On : 06-09-2023 20:31:00
Released On : 06-09-2023 22:16:05

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: NADEEM AHMAD	File. No.	: AAL02-342127
DOB/Gender	: 20-02-1983 (40 Yrs 6 Month 18 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232490389	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 06-09-2023 20:31	Clinic File No	: 40881
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	2.29	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 06-09-2023 19:00:00
Authenticated On : 06-09-2023 22:06:09
Printed On : 07-09-2023 10:17:39
Received On : 06-09-2023 20:31:00
Released On : 06-09-2023 22:16:05

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822