

LABORATORY REPORT

Name	: MAROUANE HEDDI	File. No.	: AAL02-343034
DOB/Gender	: 03-11-1990 (32 Yrs 10 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232530022	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 10-09-2023 11:47	Clinic File No	: 40902
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.94^H	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.9	g/dl	12.0 - 15.0	Photometry-SLS
HCT	44.7	%	36.0 - 46.0	Hydrodynamic focusing
MCV	90.5	fl	83.0 - 101.0	Calculation
MCH	30.2	pg	27-32	Calculation
MCHC	33.3	g/dL	31.5 - 34.5	Calculation
Platelet Count	241	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	10.32^H	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	87.2^H	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	3.8^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.9	%	2-10	Flow Cytometry
Eosinophils	1.6	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	9.01^H	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	0.39^L	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.71	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.16	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 21:00:00
Authenticated On : 10-09-2023 19:25:12
Printed On : 11-09-2023 10:24:04

Received On : 10-09-2023 11:56:00
Released On : 10-09-2023 19:57:11

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MAROUANE HEDDI	File. No.	: AAL02-343034
DOB/Gender	: 03-11-1990 (32 Yrs 10 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232530022	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 10-09-2023 11:47	Clinic File No	: 40902
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 21:00:00
Authenticated On : 10-09-2023 19:25:12
Printed On : 11-09-2023 10:24:04

Received On : 10-09-2023 11:56:00
Released On : 10-09-2023 19:57:11

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MAROUANE HEDDI	File. No.	: AAL02-343034
DOB/Gender	: 03-11-1990 (32 Yrs 10 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232530022	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 10-09-2023 11:47	Clinic File No	: 40902
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	7.36 ^H	mg/L	< 5.0	Immunoturbidimetric

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 21:00:00
Authenticated On : 10-09-2023 19:25:12
Printed On : 11-09-2023 10:24:04

Received On : 10-09-2023 11:56:00
Released On : 10-09-2023 19:57:11

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639