

LABORATORY REPORT

Name	: MALAK MOHAMMAD BASIL DARAGHAMI	File. No.	: AAL02-344402
DOB/Gender	: 22-04-2019 (4 Yrs 4 Month 27 Days/Female)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22232600251	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 17-09-2023 16:04	Clinic File No	: 39658
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
ALP (serum)	290.0	U/L	144 - 327	Para-nitrophenyl Phosphate
Kindly note that the reference range is effective from 17-01-2023.				
Ferritin (serum)	12.6	ng/mL	7.0 - 140.0	CMIA
Phosphorus (serum)	5.0	mg/dL	4.0 - 7.0	Phosphomolybdate

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-09-2023 20:00:00
Authenticated On : 17-09-2023 20:16:14
Printed On : 18-09-2023 09:36:01

Received On : 17-09-2023 16:07:00
Released On : 17-09-2023 21:14:46
Reprinted On : 18-09-2023 09:36:15

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673