



Laboratory Investigation Report

BML266888

Name : Mr. MITUL ASHOK
DOB : 20/01/1992
Age / Gender : 31 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 39743
Sample No. : 2309270308
Collected : 15/09/2023 20:00
Registered : 16/09/2023 14:17
Reported : 16/09/2023 18:13

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	<0.35		mg/L	< 6.0 Please note change in reference range.	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes

M.D (Pathology)

Pathologist

This is an electronically authenticated report

Page 1 of 3


MOHAMMED RASHID CHENANGADATH

Laboratory Technologist

Printed on: 16/09/2023 18:20

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML266888

Name : Mr. MITUL ASHOK
DOB : 20/01/1992
Age / Gender : 31 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 39743
Sample No. : 2309270308
Collected : 15/09/2023 20:00
Registered : 16/09/2023 14:17
Reported : 16/09/2023 16:30

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	15.1		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	5.5		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	46.5		%	38 - 50	Calculation
MCV	84.9		fL	82 - 98	Calculation
MCH	27.5		pg	27 - 32	Calculation
MCHC	32.4		g/dL	32 - 37	Calculation
RDW	12.3		%	11.8 - 15.6	Calculation
RDW-SD	37.6		fL		Calculation
MPV	8		fL	7.6 - 10.8	Calculation
PLATELET COUNT	235		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	17.3		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.3		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.02		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.5		%		Flow Cytometry
ABSOLUTE EGC [^]	0		10 ³ /uL		Calculation
WBC COUNT	7.3		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	47		%	40 - 75	Flow Cytometry
LYMPHOCYTES	41		%	20 - 45	Flow Cytometry
EOSINOPHILS	7	H	%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	3.3		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	2.9		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.4		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.5		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

This is an electronically authenticated report

Page 2 of 3



ANJUMOL D V

Laboratory Technologist

Printed on: 16/09/2023 18:20

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML266888

Name : Mr. MITUL ASHOK
DOB : 20/01/1992
Age / Gender : 31 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. : 39743
Sample No. : 2309270308
Collected : 15/09/2023 20:00
Registered : 16/09/2023 14:17
Reported : 16/09/2023 16:30

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes

M.D (Pathology)

Pathologist

This is an electronically authenticated report

Page 3 of 3

ANJUMOL D V

Laboratory Technologist

Printed on: 16/09/2023 18:20

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

