

LABORATORY REPORT

Name	: SURESH DHAMMIKA MADHURASINGHE	File. No.	: AAL02-314459
DOB/Gender	: 23-10-1981 (41 Yrs 11 Month 3 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232690442	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-09-2023 21:37	Clinic File No	: 32317
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.05	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.9	g/dl	13.0 - 17.0	Photometry-SLS
HCT	42.9	%	40.0 - 50.0	Hydrodynamic focusing
MCV	85.0	fl	83.0 - 101.0	Calculation
MCH	29.5	pg	27-32	Calculation
MCHC	34.7 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	265	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	5.90	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	44.4	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	43.4 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.3	%	2.0-10.0	Flow Cytometry
Eosinophils	3.2	%	1 - 6	Flow Cytometry
Basophils	0.7	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.62	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.56	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.49	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.19	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.04	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-09-2023 20:00:00
Authenticated On : 26-09-2023 23:38:18
Printed On : 27-09-2023 00:37:48

Received On : 26-09-2023 21:37:00
Released On : 26-09-2023 23:39:37
Reprinted On : 27-09-2023 11:01:31



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: SURESH DHAMMIKA MADHURASINGHE	File. No.	: AAL02-314459
DOB/Gender	: 23-10-1981 (41 Yrs 11 Month 3 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232690442	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-09-2023 21:37	Clinic File No	: 32317
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-09-2023 20:00:00
Authenticated On : 26-09-2023 23:38:18
Printed On : 27-09-2023 00:37:48

Received On : 26-09-2023 21:37:00
Released On : 26-09-2023 23:39:37
Reprinted On : 27-09-2023 11:01:31



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: SURESH DHAMMIKA MADHURASINGHE	File. No.	: AAL02-314459
DOB/Gender	: 23-10-1981 (41 Yrs 11 Month 3 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232690442	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-09-2023 21:37	Clinic File No	: 32317
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	0.53	mg/L	< 5.0	Immunoturbidimetric
Troponin I - Quantitative (serum)	0.0050	ng/mL	0.0000 - 0.0342	CMIA

Note: Values should be correlated with the clinical findings and ECG picture along with CKMB (Mass) and Myoglobin levels, before rulling out AMI. A

Sequential follow-up of Troponin I levels is recommended 4 hours and 8 hours post onset of symptoms/ post admission for suspected AMI cases.

Kindly note new reference range for Troponin I effective from 14/1/2016

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-09-2023 20:00:00
Authenticated On : 26-09-2023 23:38:18
Printed On : 27-09-2023 00:37:48

Received On : 26-09-2023 21:37:00
Released On : 26-09-2023 23:39:37
Reprinted On : 27-09-2023 11:01:32



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430