



Name Mr. ISLOMDZHON KARIMOV

DOB 15/08/1994 Age / Gender 29 Y / Male

Referred by DR. RASHMI KESHAVA

Peshawar Medical Center LLC Centre

_aboratory	Investig	jation F	Report
------------	----------	----------	--------

Ref No. 41113

Sample No. 2310284560

Collected 08/10/2023 10:10 Registered 08/10/2023 19:47

09/10/2023 00:43 Reported

HEMATOLOGY							
Test	Result Flag	Unit	Reference Range	Methodology			
COMPLETE BLOOD COUNT (CBC)							
HEMOGLOBIN	15.9	g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)			
RBC COUNT	5.6	10^6/μL	4.3 - 5.7	Electrical Impedance			
HEMATOCRIT	47	%	38 - 50	Calculation			
MCV	83.7	fL	82 - 98	Calculation			
МСН	28.3	pg	27 - 32	Calculation			
мснс	33.9	g/dL	32 - 37	Calculation			
RDW	12.7	%	11.8 - 15.6	Calculation			
RDW-SD	38.1	fL		Calculation			
MPV	8.4	fL	7.6 - 10.8	Calculation			
PLATELET COUNT	272	10^3/μL	150 - 450	Electrical Impedance			
РСТ	0.2	%	0.01 - 9.99	Calculation			
PDW	16.3	Not Applicable	0.1 - 99.9	Calculation			
NUCLEATED RBC (NRBC)^	0.4	/100 WBC		Flow Cytometry			
ABSOLUTE NRBC COUNT^	0.03	10^3/uL		Calculation			
EARLY GRANULOCYTE COUNT (EGC)^	0.2	%		Flow Cytometry			
ABSOLUTE EGC^	0	10^3/uL		Calculation			
WBC COUNT	8.3	10^3/μL	4 - 11	Electrical Impedance			
DIFFERENTIAL COUNT (DC)							
NEUTROPHILS	64	%	40 - 75	Flow Cytometry			
LYMPHOCYTES	27	%	20 - 45	Flow Cytometry			
EOSINOPHILS	3	%	0 - 6	Flow Cytometry			
MONOCYTES	6	%	1 - 6	Flow Cytometry			
BASOPHILS	0	%	0 - 1	Flow Cytometry			
ABSOLUTE COUNT							
ABSOLUTE NEUTROPHIL COUNT	5.3	10^3/uL	1.6 - 8.25	Calculation			
ABSOLUTE LYMPHOCYTE COUNT	1.8	10^3/uL	0.8 - 4.95	Calculation			
ABSOLUTE MONOCYTE COUNT	0.6	10^3/uL	0.04 - 0.66	Calculation			
ABSOLUTE EOSINOPHIL COUNT	0.2	10^3/uL	0 - 0.66	Calculation			
ABSOLUTE BASOPHIL COUNT	0	10^3/uL	0 - 0.11	Calculation			

Dr. Vyoma V Shah **Dr. Adley Mark Fernandes** M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

Page 1 of 3 This is an electronically authenticated report

MIDHUN MANIKANDAN GEETHA

Laboratory Technologist Printed on: 09/10/2023 15:45

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Laboratory Investigation Report

Name : Mr. ISLOMDZHON KARIMOV Ref No. : 41113

DOB 15/08/1994 Sample No. 2310284560 Age / Gender 29 Y / Male Collected 08/10/2023 10:10 Referred by DR. RASHMI KESHAVA Registered 08/10/2023 19:47 Peshawar Medical Center LLC Centre Reported 09/10/2023 00:43

HEMATOLOGY

Test Result Flag Unit Reference Range Methodology

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes: Please note update on CBC report format and changes in reference ranges.

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

This is an electronically authenticated report

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

Page 2 of 3

MIDHUN MANIKANDAN GEETHA

Laboratory Technologist
Printed on: 09/10/2023 15:45

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





09/10/2023 01:32

Laboratory Investigation Report

Mr. ISLOMDZHON KARIMOV Ref No. 41113

Reported

Name DOB 15/08/1994 Sample No. 2310284560 Age / Gender 29 Y / Male Collected 08/10/2023 10:10 Referred by DR. RASHMI KESHAVA Registered 08/10/2023 19:47 Peshawar Medical Center LLC

IMMUNOLOGY

Flag Unit **Test** Result **Reference Range** Methodology

RAPID INFLUENZA TEST

Centre

Rapid Influenza A Immunochromatography Negative Negative Rapid Influenza B **Immunochromatography** Negative Negative

Throat / Nasal swab Sample Type:





Dr. Adley Mark Fernandes Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

This is an electronically authenticated report

Page 3 of 3

ACCREDITED



Tel: +971 4 398 8567



ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

P.O Box: 49527 Dubai, UAE

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under

reports@biosytech.ae

www.biosytech.com

MUBASHER ZAHOOR Laboratory Technologist

Printed on: 09/10/2023 15:45