



Laboratory Investigation Report

 Name
 : OSHAN
 Ref No.
 : 20244

 DOB
 : 29/11/1993
 Sample No.
 : 2310286555

 Age / Gender
 : 29 Y / Male
 Collected
 : 11/10/2023 19:00:00

 Referred by
 : DR RASHMI
 Registered
 : 11/10/2023 22:19:50

 Centre
 : Peshawar Medical Center LLC
 Reported
 : 14/10/2023 10:42:24

MICROBIOLOGY

Test : CULTURE AND SENSITIVITY (THROAT SWAB)

Specimen : Throat Swab

ResultType : No Bacterial Pathogen Detected after 48 Hours of

Aerobic Incubation.

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

Final Report Page 1 of 1

Coparation According

Tel: +971 4 398 8567



Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

P.O Box: 49527 Dubai, UAE

reports@biosytech.ae

www.biosytech.com

FATHIMA MUHAMMED SAFIR

Microbiology Technologist

Printed on: 14/10/2023 10:44