

LABORATORY REPORT

Name	: MUHAMMAD HAMZA MOH JAVED	File. No.	: AAL02-352022
DOB/Gender	: 06-10-1995 (28 Yrs 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232870184	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-10-2023 14:21:03	Clinic File No	: 38208
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.72^H	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	16.2	g/dl	13.0 - 17.0	Photometry-SLS
HCT	47.9	%	40.0 - 50.0	Hydrodynamic focusing
MCV	83.7	fl	83.0 - 101.0	Calculation
MCH	28.3	pg	27-32	Calculation
MCHC	33.8	g/dL	31.5 - 34.5	Calculation
Platelet Count	260	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	6.65	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	50.2	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	36.7	%	20.0 - 40.0	Flow Cytometry
Monocytes	9.6	%	2.0-10.0	Flow Cytometry
Eosinophils	2.7	%	1 - 6	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.34	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.44	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.64	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.18	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-10-2023 12:00:00
Authenticated On : 14-10-2023 16:45:07

Received On : 14-10-2023 14:52:00
Released On : 14-10-2023 17:01:52

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MUHAMMAD HAMZA MOH JAVED	File. No.	: AAL02-352022
DOB/Gender	: 06-10-1995 (28 Yrs 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232870184	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-10-2023 14:21:03	Clinic File No	: 38208
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-10-2023 12:00:00 Received On : 14-10-2023 14:52:00
Authenticated On : 14-10-2023 16:45:07 Released On : 14-10-2023 17:01:52

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MUHAMMAD HAMZA MOH JAVED	File. No.	: AAL02-352022
DOB/Gender	: 06-10-1995 (28 Yrs 8 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232870184	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-10-2023 14:21:03	Clinic File No	: 38208
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	4.46	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-10-2023 12:00:00 Received On : 14-10-2023 14:52:00
Authenticated On : 14-10-2023 16:45:07 Released On : 14-10-2023 17:01:52

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673