

LABORATORY REPORT

Name	: JANEER SHAMSUDEEN	File. No.	: AAL02-353733
DOB/Gender	: 11-04-1979 (44 Yrs 6 Month 11 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232950165	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-10-2023 15:33	Clinic File No	: 26476
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.53^H	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	15.4	g/dl	13.0 - 17.0	Photometry-SLS
HCT	47.2	%	40.0 - 50.0	Hydrodynamic focusing
MCV	85.4	fl	83.0 - 101.0	Calculation
MCH	27.8	pg	27-32	Calculation
MCHC	32.6	g/dL	31.5 - 34.5	Calculation
Platelet Count	289	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	6.57	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	54.9	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	35.0	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.4	%	2.0-10.0	Flow Cytometry
Eosinophils	1.2	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.61	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.30	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.55	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.08	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-10-2023 12:00:00
Authenticated On : 22-10-2023 16:54:16
Printed On : 22-10-2023 18:08:14

Received On : 22-10-2023 15:33:00
Released On : 22-10-2023 17:43:34
Reprinted On : 23-10-2023 13:51:05

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: JANEER SHAMSUDEEN	File. No.	: AAL02-353733
DOB/Gender	: 11-04-1979 (44 Yrs 6 Month 11 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232950165	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-10-2023 15:33	Clinic File No	: 26476
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-10-2023 12:00:00
Authenticated On : 22-10-2023 16:54:16
Printed On : 22-10-2023 18:08:14

Received On : 22-10-2023 15:33:00
Released On : 22-10-2023 17:43:34
Reprinted On : 23-10-2023 13:51:05



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: JANEER SHAMSUDEEN	File. No.	: AAL02-353733
DOB/Gender	: 11-04-1979 (44 Yrs 6 Month 11 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232950165	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-10-2023 15:33	Clinic File No	: 26476
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	2.02	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-10-2023 12:00:00
Authenticated On : 22-10-2023 16:54:16
Printed On : 22-10-2023 18:08:14

Received On : 22-10-2023 15:33:00
Released On : 22-10-2023 17:43:34
Reprinted On : 23-10-2023 13:51:05



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673