

LABORATORY REPORT

Name	: RYAN KENT	File. No.	: DML02-600749
DOB/Gender	: 06-05-1992 (31 Yrs 7 Month 14 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233430173	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-12-2023 14:20:46	Clinic File No	: 41768
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.48	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.7	g/dl	13.0 - 17.0	Photometry-SLS
HCT	44.0	%	40.0 - 50.0	Hydrodynamic focusing
MCV	80.3 ^L	fl	83.0 - 101.0	Calculation
MCH	26.8 ^L	pg	27-32	Calculation
MCHC	33.4	g/dL	31.5 - 34.5	Calculation
Platelet Count	235	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	12.56 ^H	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	77.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	13.4 ^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.1	%	2.0-10.0	Flow Cytometry
Eosinophils	2.7	%	1 - 6	Flow Cytometry
Basophils	0.3	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	9.73 ^H	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.68	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.77	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.34	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.04	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-12-2023 12:00:00
Authenticated On : 09-12-2023 17:54:23
Received On : 09-12-2023 15:08:00
Released On : 09-12-2023 18:00:16

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: RYAN KENT	File. No.	: DML02-600749
DOB/Gender	: 06-05-1992 (31 Yrs 7 Month 14 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233430173	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-12-2023 14:20:46	Clinic File No	: 41768
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
<u>ERYTHROCYTE SEDIMENTATION RATE (ESR) AUTOMATED</u>				
ESR (whole blood)	7	mmhr	up to 10	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-12-2023 12:00:00 Received On : 09-12-2023 15:08:00
Authenticated On : 09-12-2023 17:54:23 Released On : 09-12-2023 18:00:16

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: RYAN KENT	File. No.	: DML02-600749
DOB/Gender	: 06-05-1992 (31 Yrs 7 Month 14 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22233430173	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-12-2023 14:20:46	Clinic File No	: 41768
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
**Glucose(RBS)	98.80	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Fluoride Plasma

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-12-2023 12:00:00 Received On : 09-12-2023 15:08:00
Authenticated On : 09-12-2023 17:54:23 Released On : 09-12-2023 18:00:16



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822