

LABORATORY REPORT

Name	: NILANTHA HERATH MUDIYANSELAGE	File. No.	: AAL02-342609
DOB/Gender	: 09-02-1985 (38 Yrs 10 Month 5 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233510103	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 17-12-2023 13:39:49	Clinic File No	: 40893
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.51^H	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	16.9	g/dl	13.0 - 17.0	Photometry-SLS
HCT	49.5	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	89.8	fl	83.0 - 101.0	Calculation
MCH	30.7	pg	27-32	Calculation
MCHC	34.1	g/dL	31.5 - 34.5	Calculation
Platelet Count	189	10 ³ /uL	150 - 400	HF (DCD)
WBC	5.69	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	50.4	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	35.5	%	20.0 - 40.0	Flow Cytometry
Monocytes	10.0	%	2.0-10.0	Flow Cytometry
Eosinophils	3.7	%	1 - 6	Flow Cytometry
Basophils	0.4	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.87	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.02	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.57	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.21	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

ERYTHROCYTE SEDIMENTATION RATE (ESR)

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 17-12-2023 10:00:00
Authenticated On : 17-12-2023 16:13:03
Received On : 17-12-2023 13:40:00
Released On : 17-12-2023 16:28:39

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: NILANTHA HERATH MUDIYANSELAGE	File. No.	: AAL02-342609
DOB/Gender	: 09-02-1985 (38 Yrs 10 Month 5 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233510103	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 17-12-2023 13:39:49	Clinic File No	: 40893
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
ESR (whole blood)	2	mmhr	up to 10	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 17-12-2023 10:00:00 Received On : 17-12-2023 13:40:00
Authenticated On : 17-12-2023 16:13:03 Released On : 17-12-2023 16:28:39

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: NILANTHA HERATH MUDIYANSELAGE	File. No.	: AAL02-342609
DOB/Gender	: 09-02-1985 (38 Yrs 10 Month 5 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233510103	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 17-12-2023 13:39:49	Clinic File No	: 40893
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	0.82	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

**Uric Acid	6.57	mg/dL	3.40-7.00	Uricase
--------------------	------	-------	-----------	---------

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 17-12-2023 10:00:00	Received On : 17-12-2023 13:40:00
Authenticated On : 17-12-2023 16:13:03	Released On : 17-12-2023 16:28:39



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673