

LABORATORY REPORT

Name	: MUHAMMAD NAWAZ MUHAMMAD IRFAN	File. No.	: AAL02-368104
DOB/Gender	: 01-01-1983 (41 Yrs 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233650164	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 31-12-2023 14:55	Clinic File No	: 27703
Insurance	: No		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Yellow		Yellow	Light Scatter
Appearance	Turbid		Clear	Light Scatter
Specific Gravity	1.016		1.005 - 1.030	Refractrometry
PH	7.50		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Absent	/HPF	Absent	F.D.I/Microscopy
Amorphous Phosphate	++++	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 31-12-2023 12:00:00
Authenticated On : 31-12-2023 16:32:13
Printed On : 31-12-2023 16:57:45

Received On : 31-12-2023 14:56:00
Released On : 31-12-2023 16:33:08



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MUHAMMAD NAWAZ MUHAMMAD IRFAN	File. No.	: AAL02-368104
DOB/Gender	: 01-01-1983 (41 Yrs 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22233650164	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 31-12-2023 14:55	Clinic File No	: 27703
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 31-12-2023 12:00:00 Received On : 31-12-2023 14:56:00
Authenticated On : 31-12-2023 16:32:13 Released On : 31-12-2023 16:33:08
Printed On : 31-12-2023 16:57:45

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673