

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : AYESHA YASEEN KHAIL UR REHMAN

: 05-06-1992 (31 Yrs 6 Month 30 Days/Female) Referral Doctor

Lab No. : 22240040174

Request Date : 04-01-2024 14:33:56

Insurance : No

DOB/Gender

File. No. : AAL02-368829

: Self

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 41881

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
**Anti Mullerian Hormone	5.27	ng/mL	0.711 - 7.59	ECLIA

Conversion Formula: (Concentration in ng/mL) x (7.14) = pmol/L

In Adult Females; AMH > 7.7 ng/ml very high ovarian reserve/Polycystic ovarian disease - caution higher risk of ovarian hyperstimulation syndrome(OHSS). If AMH very high > 14 ng/ml; Suggestive of severe PCOS. AMH levels do not change significantly throughout the menstrual cycle Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration. Reference range reviewed w.e.f 15/10/23.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 04-01-2024 14:33:00 Received On: 06-01-2024 14:45:00 Authenticated On: 06-01-2024 16:03:31

Released On: 06-01-2024 16:08:55

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822