

LABORATORY REPORT

Name	: MOHAMED SAFNI	File. No.	: AAL02-371102
DOB/Gender	: 01-11-2000 (23 Yrs 2 Month 15 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240160122	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 16-01-2024 13:26	Clinic File No	: 42113
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.13	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	15.3	g/dl	13.0 - 17.0	Photometry-SLS
HCT	46.0	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	89.7	fl	83.0 - 101.0	Calculation
MCH	29.8	pg	27-32	Calculation
MCHC	33.3	g/dL	31.5 - 34.5	Calculation
Platelet Count	261	10 ³ /uL	150 - 400	HF (DCD)
WBC	6.20	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	49.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	39.8	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.5	%	2.0-10.0	Flow Cytometry
Eosinophils	3.2	%	1 - 6	Flow Cytometry
Basophils	1.0	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.07	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.47	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.40	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.20	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

ERYTHROCYTE SEDIMENTATION RATE (ESR)

ESR (whole blood)	5	mmhr	up to 10	Modified Westergren
-------------------	---	------	----------	---------------------

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 16-01-2024 10:00:00
Authenticated On : 16-01-2024 16:24:00
Printed On : 16-01-2024 21:28:09

Received On : 16-01-2024 13:27:00
Released On : 16-01-2024 16:31:05



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: MOHAMED SAFNI	File. No.	: AAL02-371102
DOB/Gender	: 01-11-2000 (23 Yrs 2 Month 15 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240160122	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 16-01-2024 13:26	Clinic File No	: 42113
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 16-01-2024 10:00:00
Authenticated On : 16-01-2024 16:24:00
Printed On : 16-01-2024 21:28:09

Received On : 16-01-2024 13:27:00
Released On : 16-01-2024 16:31:05



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: MOHAMED SAFNI	File. No.	: AAL02-371102
DOB/Gender	: 01-11-2000 (23 Yrs 2 Month 15 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240160122	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 16-01-2024 13:26	Clinic File No	: 42113
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.e.f 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 16-01-2024 10:00:00
Authenticated On : 16-01-2024 16:24:00
Printed On : 16-01-2024 21:28:09
Received On : 16-01-2024 13:27:00
Released On : 16-01-2024 16:31:05

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822