

LABORATORY REPORT

Name	: FIDEL ABIKAM	File. No.	: AAL02-373797
DOB/Gender	: 20-06-1994 (29 Yrs 7 Month 10 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22240300112	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 30-01-2024 12:54	Clinic File No	: 42363
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.88	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.1	g/dl	13.0 - 17.0	Photometry-SLS
HCT	42.4	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	86.9	fl	83.0 - 101.0	Calculation
MCH	28.9	pg	27-32	Calculation
MCHC	33.3	g/dL	31.5 - 34.5	Calculation
Platelet Count	166	10 ³ /uL	150 - 400	HF (DCD)
WBC	7.13	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	43.7	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	46.3 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.0	%	2.0-10.0	Flow Cytometry
Eosinophils	3.2	%	1 - 6	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.11	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	3.30 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.43	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.23	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Platelet count estimation done manually. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

ERYTHROCYTE SEDIMENTATION RATE (ESR)

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 30-01-2024 11:00:00
Authenticated On : 30-01-2024 15:18:18
Printed On : 30-01-2024 16:49:12

Received On : 30-01-2024 12:57:00
Released On : 30-01-2024 16:16:06



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: FIDEL ABIKAM	File. No.	: AAL02-373797
DOB/Gender	: 20-06-1994 (29 Yrs 7 Month 10 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22240300112	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 30-01-2024 12:54	Clinic File No	: 42363
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
ESR (whole blood)	5	mmhr	up to 10	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 30-01-2024 11:00:00 Received On : 30-01-2024 12:57:00
Authenticated On : 30-01-2024 15:18:18 Released On : 30-01-2024 16:16:06
Printed On : 30-01-2024 16:49:12

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: FIDEL ABIKAM	File. No.	: AAL02-373797
DOB/Gender	: 20-06-1994 (29 Yrs 7 Month 10 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22240300112	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 30-01-2024 12:54	Clinic File No	: 42363
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.e.f 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 30-01-2024 11:00:00
Authenticated On : 30-01-2024 14:20:00
Printed On : 30-01-2024 15:18:19

Received On : 30-01-2024 12:57:00
Released On : 30-01-2024 14:22:42
Reprinted On : 30-01-2024 16:49:12

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822