

LABORATORY REPORT

Name	: TATIANA FOUAD CORBAN EP SAID SAMAHA	File. No.	: AAL02-300106
DOB/Gender	: 02-01-1962 (62 Yrs 1 Month 34 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240350190	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 04-02-2024 17:07:26	Clinic File No	: 39902
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	5.95^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetric inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23 .

Sample Type : EDTA WB

Ferritin	74.40	ng/mL	13-150	ECLIA
-----------------	-------	-------	--------	-------

Ferritin provides a more sensitive, specific and reliable measurement for determining iron deficiency at an early stage. Ferritin measurements in combination with other parameters is useful in determining the rate and degree of body iron overload in such disorders as thalassemia, sideroblastic anemia and in determining the response of patients treated with iron chelators. In chronic inflammatory disorders, infections, and in chronic renal failure, there is a disproportionate increase in serum ferritin levels in relation to iron stores. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. > 5 mg/day) until at least 8 hours following the last biotin administration Please note Reference Range Reviewed w.ef 14/12/23 .

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 02-02-2024 12:00:00
Authenticated On : 04-02-2024 21:12:03

Received On : 04-02-2024 17:07:00
Released On : 04-02-2024 21:22:02



Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639