

# Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

### LABORATORY REPORT

Name : ROSE NAGAWA File. No. : AAL02-349264

DOB/Gender

: 15-10-1982 (41 Yrs 4 Month 6 Days/Female)

: Dr. Sajid Sanaullah Khan

Lab No.

: 22240380004

Referral Doctor

Request Date : 07-02-2024 09:21:45

Referral Clinic : Peshawar(Irham Medical Center) Clinic File No 38848

Insurance

: NEXTCARE

### **HAEMATOLOGY & COAGULATION**

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CE	BC) WITH DIFFERENT	<u>IAL</u>		
RBC	4.30	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.1	g/dl	12.0 - 15.0	Photometry-SLS
нст	38.9	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	90.5	fl	83.0 - 101.0	Calculation
MCH	28.1	pg	27-32	Calculation
MCHC	31.1 <sup>L</sup>	g/dL	31.5 - 34.5	Calculation
Platelet Count	394	10^3/uL	150-400	HF (DCD)
WBC	6.30	10^3/uL	4.00 - 10.00	Flow Cytometry
<b>DIFFERENTIAL COUNT (%)</b>				
Neutrophils	56.6	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	30.2	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.0	%	2-10	Flow Cytometry
Eosinophils	5.7	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
DIFFERENTIAL COUNT (ABSOL	LUTE)			
Neutrophils (Absolute)	3.57	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.90	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.44	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.36	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10^3/uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation

## Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Patient Sample Collected On: 06-02-2024 20:00:00 Received On: 07-02-2024 09:24:00

Authenticated On: 07-02-2024 14:12:42

Released On: 07-02-2024 14:29:00

Rhea Suberon Medical Laboratory Technician DHA/LS/123639

Laboratory Director DHA/LS/248469

Dr. Solmaz Siddiqui







# Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

### LABORATORY REPORT

Name : ROSE NAGAWA File. No. : AAL02-349264

DOB/Gender

: 15-10-1982 (41 Yrs 4 Month 6 Days/Female)

: Dr. Sajid Sanaullah Khan

Lab No.

: 22240380004

Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 07-02-2024 09:21:45

Clinic File No 38848

Referral Doctor

Insurance

: NEXTCARE

**CLINICAL BIOCHEMISTRY** 

Test Name	Result	Units	Ref. Range	Method
Glucose(RBS)	83.10	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Fluoride Plasma

**C-Reactive Protein (CRP)** mg/L Negative < or = to 5.0 Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 06-02-2024 20:00:00

Authenticated On: 07-02-2024 14:12:42 Released On: 07-02-2024 14:29:00

Received On: 07-02-2024 09:24:00

Rhea Suberon Medical Laboratory Technician DHA/LS/123639



Page 2 of 2