

LABORATORY REPORT

Name	: TOFAZZAL HOSSAIN NURUL ISLAM	File. No.	: AAL02-359010
DOB/Gender	: 02-03-1984 (39 Yrs 11 Month 1 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240380140	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-02-2024 13:57	Clinic File No	: 26721
Insurance	: NAS ADMINISTRATION SERVICES LTD		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.96	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.2	g/dl	13.0 - 17.0	Photometry-SLS
HCT	42.2	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	85.1	fl	83.0 - 101.0	Calculation
MCH	28.6	pg	27-32	Calculation
MCHC	33.6	g/dL	31.5 - 34.5	Calculation
Platelet Count	330	10 ³ /uL	150 - 400	HF (DCD)
WBC	7.25	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	35.7 ^L	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	51.2 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.9	%	2.0-10.0	Flow Cytometry
Eosinophils	4.6	%	1 - 6	Flow Cytometry
Basophils	0.6	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.60	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	3.71 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.57	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.33	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.04	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-02-2024 12:00:00
Authenticated On : 07-02-2024 16:25:47
Printed On : 07-02-2024 18:58:37

Received On : 07-02-2024 13:58:00
Released On : 07-02-2024 17:33:33
Reprinted On : 07-02-2024 20:07:15

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: TOFAZZAL HOSSAIN NURUL ISLAM	File. No.	: AAL02-359010
DOB/Gender	: 02-03-1984 (39 Yrs 11 Month 1 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240380140	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-02-2024 13:57	Clinic File No	: 26721
Insurance	: NAS ADMINISTRATION SERVICES LTD		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose(RBS)	125.00	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-02-2024 12:00:00
Authenticated On : 07-02-2024 16:25:47
Printed On : 07-02-2024 18:58:37

Received On : 07-02-2024 13:58:00
Released On : 07-02-2024 17:33:33
Reprinted On : 07-02-2024 20:07:16

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: TOFAZZAL HOSSAIN NURUL ISLAM	File. No.	: AAL02-359010
DOB/Gender	: 02-03-1984 (39 Yrs 11 Month 1 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240380140	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-02-2024 13:57	Clinic File No	: 26721
Insurance	: NAS ADMINISTRATION SERVICES LTD		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Yellow		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.020		1.005 - 1.030	Refractrometry
PH	5.00		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Trace		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-02-2024 12:00:00
Authenticated On : 07-02-2024 16:25:47
Printed On : 07-02-2024 16:19:24

Received On : 07-02-2024 13:58:00
Released On : 07-02-2024 17:33:33
Reprinted On : 07-02-2024 20:07:16

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: TOFAZZAL HOSSAIN NURUL ISLAM	File. No.	: AAL02-359010
DOB/Gender	: 02-03-1984 (39 Yrs 11 Month 1 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240380140	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-02-2024 13:57	Clinic File No	: 26721
Insurance	: NAS ADMINISTRATION SERVICES LTD		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-02-2024 12:00:00
Authenticated On : 07-02-2024 16:25:47
Printed On : 07-02-2024 16:19:24

Received On : 07-02-2024 13:58:00
Released On : 07-02-2024 17:33:33
Reprinted On : 07-02-2024 20:07:16

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: TOFAZZAL HOSSAIN NURUL ISLAM	File. No.	: AAL02-359010
DOB/Gender	: 02-03-1984 (39 Yrs 11 Month 1 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22240380140	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-02-2024 13:57	Clinic File No	: 26721
Insurance	: NAS ADMINISTRATION SERVICES LTD		

LIPID PROFILE I CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Cholesterol	248.00^H	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	264.00^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	42.10	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	173.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
**VLDL	32.90^H	mg/dL	5.0 - 30.0	Calculation
**Cholesterol / HDL	5.89^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-02-2024 12:00:00
Authenticated On : 07-02-2024 16:25:47
Printed On : 07-02-2024 18:58:37

Received On : 07-02-2024 13:58:00
Released On : 07-02-2024 17:33:33
Reprinted On : 07-02-2024 20:07:16

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639