

DOB/Gender

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : TAMER MOHAMED

: 09-08-1984 (39 Yrs 6 Month 11 Days/Male)

Lab No. : 22240540030

Request Date : 23-02-2024 11:28

: NEXTCARE Insurance

File. No. : AAL02-378392

Referral Doctor : Dr. Sajid Sanaullah Khan

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 42562

LIPID PROFILE I

		DIC		MISTRY
CLIN	LAL	DIC	ルロロ	VII 3 I K I

CLINICAL BIOCHEMISTRY						
Test Name	Result	Units	Ref. Range	Method		
Cholesterol	195.00	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase		
Please note Reference Range Revie	ewed w.ef 15/10/23					
Triglycerides	193.00 ^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO		
Please note Reference Range Revie	ewed w.ef 15/10/23					
HDL Cholesterol	34.40 ^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD		
Please note Reference Range Revie	ewed w.ef 15/10/23					
LDL Cholesterol	130.00 ^H	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant		
Please note Reference Range Revie	ewed w.ef 15/10/23					
**VLDL	30.60 ^H	mg/dL	5.0 - 30.0	Calculation		
**Cholesterol / HDL	5.67 ^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation		
Description						

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469

Patient Sample Collected On: 22-02-2024 20:00:00

Printed On: 23-02-2024 21:50:17

Authenticated On: 23-02-2024 16:33:45

Received On: 23-02-2024 11:29:00

Released On: 23-02-2024 16:47:08

Kumareshan Sr. Technician

Padmapriya

DHA/LS2992011/243822



