

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

#### LABORATORY REPORT

Name : DAVEED FRANCIS THEKKEVILATHARAYIL

VALIYAMALIL JOHN DAVEED

DOB/Gender : 01-06-1961 (62 Yrs 8 Month 22 Days/Male)

Lab No. : 22240540168

Request Date : 23-02-2024 14:18

Insurance : No File. No. : AAL02-331910

Referral Doctor : Dr. Sajid Sanaullah Khan

: Peshawar(Irham Medical Center) Referral Clinic

Clinic File No

### **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	8.08 <sup>H</sup>	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

156.00 H Glucose (Fasting) 70 - 100 HK/G-6-PDH mg/dL

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-02-2024 11:20:00 Authenticated On: 23-02-2024 16:05:16

Printed On: 23-02-2024 20:27:49

Received On: 23-02-2024 14:19:00

Released On: 23-02-2024 16:21:37

**Padmapriya** Kumareshan

Sr. Technician

DHA/LS2992011/243822





# Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبي للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189 الأيزو

#### LABORATORY REPORT

Name : DAVEED FRANCIS THEKKEVILATHARAYIL

VALIYAMALIL JOHN DAVEED

DOB/Gender : 01-06-1961 (62 Yrs 8 Month 22 Days/Male)

Lab No. : **22240540168** 

Request Date : 23-02-2024 14:18

Insurance : No

File. No. : **AAL02-331910** 

Referral Doctor : Dr. Sajid Sanaullah Khan

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 28523

LIPID PROFILE I

CLINICAL BIOCHEMISTRY						
Test Name	Result	Units	Ref. Range	Method		
Cholesterol	221.00	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase		
Please note Reference Range Revie	ewed w.ef 15/10/23					
Triglycerides	254.00 <sup>H</sup>	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO		
Please note Reference Range Revie	ewed w.ef 15/10/23					
HDL Cholesterol	31.20 <sup>L</sup>	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD		
Please note Reference Range Revie	ewed w.ef 15/10/23					
LDL Cholesterol	154.00 <sup>H</sup>	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant		
Please note Reference Range Revie	ewed w.ef 15/10/23					
**VLDL	35.80 <sup>H</sup>	mg/dL	5.0 - 30.0	Calculation		
**Cholesterol / HDL	7.08 <sup>H</sup>	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation		

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 23-02-2024 11:20:00 Authenticated On: 23-02-2024 16:05:16

Printed On: 23-02-2024 20:27:49

Received On: 23-02-2024 14:19:00 Released On: 23-02-2024 16:21:37

Kumareshan Sr. Technician

**Padmapriya** 

DHA/LS2992011/243822

