

LABORATORY REPORT

Name	: SOUMIA BENRAQQUOCH	File. No.	: AAL02-310269
DOB/Gender	: 10-04-1988 (35 Yrs 1 Month 8 Days/Female)	Referral Doctor	: Self
Lab No.	: 22231380177	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 18-05-2023 13:07	Clinic File No	: 30248
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.07	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.1	g/dl	12.0 - 15.0	Photometry-SLS
HCT	36.2	%	36.0 - 46.0	Hydrodynamic focusing
MCV	88.9	fl	83.0 - 101.0	Calculation
MCH	29.7	pg	27-32	Calculation
MCHC	33.4	g/dL	31.5 - 34.5	Calculation
Platelet Count	306	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	7.04	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	62.2	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	26.1	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.9	%	2-10	Flow Cytometry
Eosinophils	1.7	%	1 - 6	Flow Cytometry
Basophils	1.1	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.37	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.84	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.63	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.12	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.08	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Sample Type : EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 18-05-2023 10:00:00
Authenticated On : 18-05-2023 14:19:52
Printed On : 18-05-2023 14:56:22

Received On : 18-05-2023 13:08:00
Released On : 18-05-2023 14:21:59
Reprinted On : 18-05-2023 16:58:27

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673