The member is allowed for **Out Patient** 

**ADMINISTRATIVE** 

## **eASOAP FORM**




at the CITICARE MEDICAL CENTER LLC

Validity Between: 15/07/2024 and 14/07/2025 Patent Name: PAULA CAMILLE BINUYA Gender: **Female** Coverage Informaton 12/27/1992 12:00:00 Card No: 5197-BEA6-8B7F-2B5C DOB: **Out Patient** AM for: RN UAE (Al Ansari-AUH)-Pin #: Identty Card: Network: **MEDGULF** Natonal ID: 784-1992-5062810-6 Service Date: 25-Aug-2024 Radiology: Covered Patent's Tel No: 050224254 Threshold Policy Holder: Limit: **ORIENT INSURANCE** Payer Name: Class: Normal P.J.S.C Out-Patent: Patent's File 34248 Category: Category B Pharmacy: Co-Part: 20% No: Consultation: Laboratory: Covered Gatekeeper: No Referral No: Referred Service: SUBJECTIVE ASSESSMENT Date of Symptoms/illness started Symptom(s) as described by the patent (Chief Complaint): DD MM YYYY Complaint No Complaints Found for Selected Appointment Date of Symptoms/illness started ○ Yes O No Past Medical Surgical History? DD MM YYYY Date of Symptoms/illness started Obs/Gyn Claims ldd MM YYYY LMP: Marital Status: Marital Date: □ Para Gravida: ☐ AB: What date did the Patient first feel same / similar Symptom(s) : dd mm yyyy Is the Patient under any type of Treatment?  $\bigcirc$  Yes  $\bigcirc$  No  $\,$  if yes, indicate what Assessment and since when: OBJECTIVE / ASSESSMENT(To be completed by Physician) Clinical Findings: RR Vital Signs: B/P:106 T:38.3 HR: 92 : 18 Assessment/Diagnosis : O Acute O Chronic O Confirmed Suspected INDICATE DIAGNOSIS NOT SYMPTOM **Diagnosis** Type Code R50.9 Fever, unspecified Primary Secondary J03.90 Acute tonsillitis, unspecified ACCIDENT/OCCUPATIONAL Claim Informaton (complete if claim is a result of accident or work related illness/injury) Injury due to road Accident or illness due to work? Describe how the accident or work related injury/illness occur: accident? ○ Yes ○ No ○ Yes ○ No Date of accident or beginning of illness: MEDICAL PLAN Itemized Original Invoices and Applicable Prescriptions / Reports / Results must be enclosed to consider claim

		ClinicSoft 8.0 - N	lextCare For	m			
Treatment			Туре	Price			
Sedimentation rate, erythrocyte; automated			Lab	8.0000			
C-reactive protein;			Lab	15.000			
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)			Co.Pay	3.0000			
GP Consultation	GP Consultation			General Consultation	25.000		
					Lab	20.000	
PARAFUSIV I.V.	PARAFUSIV I.V. 10MG/ML-(PARACETAMOL : 10 MG/ML) SOLUTION FOR INFUSION			Pharmacy	8.4000		
CEFTRIAXONE-	FTRIAXONE-TABUK IV-(CEFTRIAXONE : 1 G) POWDER FOR INJECTION			Pharmacy	48.500		
CLOFEN -(DICLO	N -(DICLOFENAC SODIUM : 75 MG/3ML) SOLUTION FOR INJECTION				Pharmacy	6.5000	
					Pharmacy	4.5000	
					Co.Pay	40.000	
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular				Co.Pay	10.000		
Generic			Duration	Instructio	ns		
		CAPSULES	7	Take 1Tablets 2 Time(s) per Day For 7 Day(s) others			
(CAFFEINE : 6	5 MG) (PARACETAMOL : 500 MG	G) CAPLETS	APLETS 6 Take 1Tablets 2 Day(s) others				
(CETIRIZINE H	CL : 10 MG) FILM COATED TABLI	ETS	Take 1Tablets 1 Day(s) others			y For 5	
(CLAVULANIC TABLETS	ACID : 125 MG) (AMOXICILLIN :	875 MG)	7 Take 1Tablets 2 Time(s) per Day For 7 Day(s) others				
Pharmacy: Estmated Costs		O Laborato	Caboratory / Radiology:		Estmated Costs		
○ Surg		O Endoscor	Endoscopy:				
	O Dlavei a tha a sa sa sa	Other Pro	Other Procedures:				
quired	O Physiotherapy:	Other Fit	000441051				
	Sedimentation C-reactive prot Intravenous inf for primary pro GP Consultation Blood count; co automated diff PARAFUSIV I.V.  CEFTRIAXONE- CLOFEN -(DICLO SOLUTION FOR Intravenous inf initial, up to 1 h Therapeutic, pr subcutaneous of  Generic (ESOMEPRAZO (HARD GELATI (CAFFEINE : 65) (CETIRIZINE H	Sedimentation rate, erythrocyte; automated C-reactive protein; Intravenous infusion, hydration; each addition for primary procedure)  GP Consultation  Blood count; complete (CBC), automated (Hgb automated differential WBC count  PARAFUSIV I.V. 10MG/ML-(PARACETAMOL : 10  CEFTRIAXONE-TABUK IV-(CEFTRIAXONE : 1 G) F  CLOFEN -(DICLOFENAC SODIUM : 75 MG/3ML)  SODIUM CHLORIDE & DEXTROSE B.P(SODIUM SOLUTION FOR INFUSION  Intravenous infusion, for therapy, prophylaxis, initial, up to 1 hour  Therapeutic, prophylactic, or diagnostic injecti subcutaneous or intramuscular  Generic  (ESOMEPRAZOLE (AS MAGNESIUM) : 20 MG) (HARD GELATIN)  (CAFFEINE : 65 MG) (PARACETAMOL : 500 MC)  (CETIRIZINE HCL : 10 MG) FILM COATED TABL  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : TABLETS	Treatment  Sedimentation rate, erythrocyte; automated  C-reactive protein;  Intravenous infusion, hydration; each additional hour (List separator primary procedure)  GP Consultation  Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC at automated differential WBC count  PARAFUSIV I.V. 10MG/ML-(PARACETAMOL : 10 MG/ML) SOLUTION  CEFTRIAXONE-TABUK IV-(CEFTRIAXONE : 1 G) POWDER FOR INJECTOR COLUMN : 75 MG/3ML) SOLUTION FOR INSOLUTION FOR INSOLUTION FOR INFUSION  Intravenous infusion, for therapy, prophylaxis, or diagnosis (specinitial, up to 1 hour  Therapeutic, prophylactic, or diagnostic injection (specify substasubcutaneous or intramuscular)  Generic  (ESOMEPRAZOLE (AS MAGNESIUM) : 20 MG) CAPSULES (HARD GELATIN)  (CAFFEINE : 65 MG) (PARACETAMOL : 500 MG) CAPLETS  (CETIRIZINE HCL : 10 MG) FILM COATED TABLETS  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : 875 MG) TABLETS	Treatment  Sedimentation rate, erythrocyte; automated  C-reactive protein;  Intravenous infusion, hydration; each additional hour (List separately in additional for primary procedure)  GP Consultation  Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet cautomated differential WBC count  PARAFUSIV I.V. 10MG/ML-(PARACETAMOL : 10 MG/ML) SOLUTION FOR INFU  CEFTRIAXONE-TABUK IV-(CEFTRIAXONE : 1 G) POWDER FOR INJECTION  CLOFEN -(DICLOFENAC SODIUM : 75 MG/3ML) SOLUTION FOR INJECTION  SODIUM CHLORIDE & DEXTROSE B.P(SODIUM CHLORIDE : 0.9%) (DEXTROSE SOLUTION FOR INFUSION  Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance initial, up to 1 hour  Therapeutic, prophylactic, or diagnostic injection (specify substance or drug) subcutaneous or intramuscular  Generic  (ESOMEPRAZOLE (AS MAGNESIUM) : 20 MG) CAPSULES (HARD GELATIN)  (CAFFEINE : 65 MG) (PARACETAMOL : 500 MG) CAPLETS  6  (CETIRIZINE HCL : 10 MG) FILM COATED TABLETS  5  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : 875 MG) TABLETS  C Laboratory / Radiological carbon description (specify substance) and substance) and substance) and substance or drug) and substanc	Sedimentation rate, erythrocyte; automated C-reactive protein; Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)  GP Consultation  Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count  PARAFUSIV I.V. 10MG/ML-(PARACETAMOL : 10 MG/ML) SOLUTION FOR INFUSION  CEFTRIAXONE-TABUK IV-(CEFTRIAXONE : 1 G) POWDER FOR INJECTION  CLOFEN -(DICLOFENAC SODIUM : 75 MG/3ML) SOLUTION FOR INJECTION  SODIUM CHLORIDE & DEXTROSE B.P(SODIUM CHLORIDE : 0.9%) (DEXTROSE : 5%) SOLUTION FOR INFUSION  Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour  Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular  Generic  (ESOMEPRAZOLE (AS MAGNESIUM) : 20 MG) CAPSULES (HARD GELATIN)  (CAFFEINE : 65 MG) (PARACETAMOL : 500 MG) CAPLETS  GENERAL Tab Day(s) oth  (CETIRIZINE HCL : 10 MG) FILM COATED TABLETS  Take 1Tab Day(s) oth  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : 875 MG)  Take 1Tab Day(s) oth  Estmated Costs	Treatment  Sedimentation rate, erythrocyte; automated  C-reactive protein;  Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)  GP Consultation  General Consultation  Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count  PARAFUSIV I.V. 10MG/ML-(PARACETAMOL : 10 MG/ML) SOLUTION FOR INFUSION  Pharmacy  CEFTRIAXONE-TABUK IV-(CEFTRIAXONE : 1 G) POWDER FOR INJECTION  Pharmacy  CLOFEN -(DICLOFENAC SODIUM : 75 MG/3ML) SOLUTION FOR INJECTION  SODIUM CHLORIDE & DEXTROSE B.P(SODIUM CHLORIDE : 0.9%) (DEXTROSE : 5%) SOLUTION FOR INFUSION  Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); cinitial, up to 1 hour  Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular  Generic  (ESOMEPRAZOLE (AS MAGNESIUM) : 20 MG) CAPSULES  (FARD GELATIN)  (CAFFEINE : 65 MG) (PARACETAMOL : 500 MG) CAPSULES  (CAFFEINE : 65 MG) (PARACETAMOL : 500 MG) CAPLETS  (CETIRIZINE HCL : 10 MG) FILM COATED TABLETS  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : 875 MG)  Take 1Tablets 2 Time(s) per Da Day(s) others  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : 875 MG)  Take 1Tablets 2 Time(s) per Da Day(s) others  (CLAVULANIC ACID : 125 MG) (AMOXICILLIN : 875 MG)  TableTS  Estmated Costs	

Is In-patient Required ? Length of Stay	Indicate Provider	Estimate Cost			
I hereby certfy that all informaton mentoned are correct	I hereby authorize any Healthcare Provider, Insurer, Employ	er or other Organizaton			
& that the medical services shown on this form were	to release any informaton regarding my medical conditon o	ind history to NEXtCARE			
medically indicated & necessary for the management of	for the purpose of determining insurance benefts. Medical management is the sole				
this case.	responsibility of doctor and the patent.				
Treating Physician Name : <b>Humaira</b>					
Tel / Fax (important):					



Disclaimer: NEXtCARE ASOAP form is used for claim creaton purposes. The data contained here should always be carefully reviewed. NEXtCARE will not be held responsible for misuse of claims submission's or any adverse efects caused due to the claims submissions. NEXtCare assumes no responsibility for any discrepancies or errors contained in this pre-printed datasheet and final opinion will be given by the NEXtCARE claims doctors.