

Lab No.

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

: CHANDRAPRAKASH PRAJAPATI KAILASH File. No. Name : AAL02-367002

PRAJAPATI

DOB/Gender : 20-03-1987 (37 Yrs 12 Month 4 Days/Male)

: Dr. Aisha Umer Referral Doctor : 22250650129 Referral Clinic : Citicare Medical Center LLC

Request Date: 06-03-2025 14:15:43 Clinic File No : 38050

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

HAEMATOLOGY & COAGULATION

| Test Name | Result | Units | Ref. Range | Method | | |
|--|-------------------|---------|--------------|--------------------------------------|--|--|
| COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL | | | | | | |
| RBC | 5.23 | 10^12/L | 4.50 - 5.50 | Hydrodynamic focusing (DC Detection) | | |
| Haemoglobin | 14.7 | g/dl | 13.0 - 17.0 | Photometry-SLS | | |
| НСТ | 44.5 | % | 40.0 - 50.0 | Hydrodynamic focusing (HF) | | |
| MCV | 85.1 | fl | 83.0 - 101.0 | Calculation | | |
| MCH | 28.1 | pg | 27-32 | Calculation | | |
| MCHC | 33.0 | g/dL | 31.5 - 34.5 | Calculation | | |
| Platelet Count | 355 | 10^3/uL | 150 - 400 | HF (DCD) | | |
| WBC | 8.60 | 10^3/uL | 4.00 - 10.00 | Flow Cytometry | | |
| DIFFERENTIAL COUNT (%) | | | | | | |
| Neutrophils | 54.9 | % | 40.0 - 80.0 | Flow Cytometry | | |
| Lymphocytes | 29.3 | % | 20.0 - 40.0 | Flow Cytometry | | |
| Monocytes | 8.4 | % | 2.0-10.0 | Flow Cytometry | | |
| Eosinophils | 6.9 ^H | % | 1 - 6 | Flow Cytometry | | |
| Basophils | 0.5 | % | <1-2 | Flow Cytometry | | |
| Band Forms | 0.0 | % | < 6 | Flow Cytometry | | |
| DIFFERENTIAL COUNT (ABSOLUTE) | | | | | | |
| Neutrophils (Absolute) | 4.73 | 10^3/uL | 2.00 - 7.00 | Calculation | | |
| Lymphocytes (Absolute) | 2.52 | 10^3/uL | 1.00 - 3.00 | Calculation | | |
| Monocytes (Absolute) | 0.72 | 10^3/uL | 0.20 - 1.00 | Calculation | | |
| Eosinophils (Absolute) | 0.59 ^H | 10^3/uL | 0.02 - 0.50 | Calculation | | |
| Basophils (Absolute) | 0.04 | 10^3/uL | 0.02 - 0.10 | Calculation | | |
| Band Forms (Absolute) | 0.00 | 10^3/uL | < 0.66 | Calculation | | |

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 06-03-2025 10:56:00 Received On: 06-03-2025 14:16:00 Authenticated On: 06-03-2025 14:51:05 Released On: 06-03-2025 16:24:21

Padmapriya Kumareshan Sr. Technician DHA-P-2992011





DOB/Gender

Test Name

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: CHANDRAPRAKASH PRAJAPATI KAILASH File. No. Name

PRAJAPATI

: 20-03-1987 (37 Yrs 12 Month 4 Days/Male)

Lab No. : 22250650129

Request Date: 06-03-2025 14:15:43 : NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

Referral Clinic : Citicare Medical Center LLC

: AAL02-367002

: Dr. Aisha Umer

Clinic File No : 38050

Result Units Ref. Range Method

Referral Doctor

Sample Type: EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 06-03-2025 10:56:00

Authenticated On: 06-03-2025 14:51:05

Received On: 06-03-2025 14:16:00 Released On: 06-03-2025 16:24:21

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011





Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبي للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO المارة دبي الإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : CHANDRAPRAKASH PRAJAPATI KAILASH File. No. : AAL02-367002

PRAJAPATI

DOB/Gender : 20-03-1987 (37 Yrs 12 Month 4 Days/Male) Referral Doctor : Dr. Aisha Umer

Lab No. : 22250650129 Referral Clinic : Citicare Medical Center LLC

Request Date: 06-03-2025 14:15:43 Clinic File No: 38050

Insurance : NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

| Test Name | Result | Units | Ref. Range | Method |
|--------------------------|-------------------|-------|------------------------|----------------------------|
| C-Reactive Protein (CRP) | 9.87 ^H | mg/L | Negative < or = to 5.0 | Immunoturbidim etric Assay |

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2022 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 06-03-2025 10:56:00

Authenticated On: 06-03-2025 14:51:05 Released On: 06-03-2025 16:24:21

Received On: 06-03-2025 14:16:00 Released On: 06-03-2025 16:24:21 Pings

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011

