



Name : Mr. JEEVAN GAIRE Ref No. : 44071

DOB 2504570080 10/10/1996 Sample No. Age / Gender 28 Y / Male **Collected** 28/04/2025 22:00 Referred by Dr. AMAIZAH Registered 29/04/2025 20:12 CITICARE MEDICAL CENTER 29/04/2025 21:08 Centre Reported

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
COLOR	Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Slightly Turbid			-	Turbidimetry
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.025			1.002 - 1.035	Refractometry
PH	6			5 - 9	Litmus paper
GLUCOSE	Negative			Negative	GOD / POD
BLOOD	Negative			Negative	Peroxidase
PROTEIN	Negative			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	++			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	25-50	Н	/HPF	1 - 4	Microscopy
ERYTHROCYTES	5-10	Н	/HPF	0 - 2	Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Microscopy
BACTERIA	-		/HPF	Absent	Microscopy
CASTS	-		/HPF	Absent	Microscopy
HYALINE CAST	-		/HPF	Absent	Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Microscopy
COARSE GRANUALR CAST	-		/HPF	Absent	Microscopy
WAXY CAST	- 7		/HPF	Absent	Microscopy
FATTY CAST	-		/HPF	Absent	Microscopy
RBC CAST	-		/HPF	Absent	Microscopy
WBC CAST	-		/HPF	Absent	Microscopy
BACTERIAL CAST	-		/HPF	Absent	Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Microscopy
CRYSTALS	-		/HPF	Absent	Microscopy

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report Page 1 of 4

Jillian Joy Garcia Laboratory Technologist Printed on: 29/04/2025 21:19

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Name Mr. JEEVAN GAIRE Ref No. 44071

DOB 10/10/1996 Sample No. 2504570080 Age / Gender 28 Y / Male **Collected** 28/04/2025 22:00 Referred by Dr. AMAIZAH Registered 29/04/2025 20:12 29/04/2025 21:08 Centre CITICARE MEDICAL CENTER Reported

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	-		/HPF	Absent	Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Microscopy
AMMONIUM BIURATE	- 5		/HPF	Absent	Microscopy
AMORPHOUS URATES	- /		/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Microscopy
CYSTINE	-		/HPF	Absent	Microscopy
LEUCINE	-		/HPF	Absent	Microscopy
TYROSINE	-		/HPF	Absent	Microscopy
DRUG CRYSTAL	- 5-		/HPF	Absent	Microscopy
MUCUS THREADS	-		/HPF	Absent	Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Microscopy
НҮРНАЕ	- \		/HPF	Absent	Microscopy
OVA	-		/HPF	Absent	Microscopy
CYST	-		/HPF	Absent	Microscopy
PARASITE	-		/HPF	Absent	Microscopy
ARTIFACTS	-		/HPF	Absent	Microscopy

Comments: Please correlate clinically.

INTERPRETATION NOTES:

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

URINE Sample Type:

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

This is an electronically authenticated report

P.O Box: 49527


Page 2 of 4

Tel: +971 4 398 8567



Jillian Joy Garcia Laboratory Technologist

Printed on: 29/04/2025 21:19



Dubai, UAE







Name Mr. JEEVAN GAIRE Ref No. 44071

DOB 10/10/1996 Sample No. 2504570080 Age / Gender 28 Y / Male **Collected** 28/04/2025 22:00 Referred by Dr. AMAIZAH Registered 29/04/2025 20:12

29/04/2025 20:59 Centre CITICARE MEDICAL CENTER Reported

HEMATOLOGY								
Test	Result	Flag	Unit	Reference Range	Methodology			
COMPLETE BLOOD COUNT (CBC)								
HEMOGLOBIN	14.6		g/dL	13.5 - 17.5	Photometric			
RBC COUNT	5.2		10^6/μL	4.3 - 5.7	Electrical Impedance			
HEMATOCRIT	44.6		%	38 - 50	Calculation			
MCV	85.3		fL	82 - 98	Calculation			
МСН	27.8		pg	27 - 32	Calculation			
мснс	32.6		g/dL	32 - 37	Calculation			
RDW	14.2		%	11.8 - 15.6	Calculation			
RDW-SD	42.4		fL		Calculation			
MPV	9.6		fL	7.6 - 10.8	Calculation			
PLATELET COUNT	264		10^3/uL	150 - 450	Electrical Impedance			
РСТ	0.3		%	0.01 - 9.99	Calculation			
PDW	16.3		Not Applicable	0.1 - 99.9	Calculation			
NUCLEATED RBC (NRBC)^	0.1		/100 WBC		VCS 360 Technology			
ABSOLUTE NRBC COUNT^	0.02		10^3/uL		Calculation			
EARLY GRANULOCYTE COUNT (EGC)^	0.3		%		VCS 360 Technology			
ABSOLUTE EGC^	0.0		10^3/uL		Calculation			
WBC COUNT	11.3	Н	10^3/μL	4 - 11	Electrical Impedance			
DIFFERENTIAL COUNT (DC)								
NEUTROPHILS	54		%	40 - 75	VCS 360 Technology			
LYMPHOCYTES	39		%	20 - 45	VCS 360 Technology			
EOSINOPHILS	2		%	0 - 6	VCS 360 Technology			
MONOCYTES	5		%	1 - 6	VCS 360 Technology			
BASOPHILS	0		%	0 - 1	VCS 360 Technology			
ABSOLUTE COUNT								
ABSOLUTE NEUTROPHIL COUNT	6.1		10^3/uL	1.6 - 8.25	Calculation			
ABSOLUTE LYMPHOCYTE COUNT	4.4		10^3/uL	0.8 - 4.95	Calculation			
ABSOLUTE MONOCYTE COUNT	0.5		10^3/uL	0.04 - 0.66	Calculation			
ABSOLUTE EOSINOPHIL COUNT	0.3		10^3/uL	0 - 0.66	Calculation			
ABSOLUTE BASOPHIL COUNT	0.0		10^3/uL	0 - 0.11	Calculation			

Dr. Vyoma V Shah **Dr. Adley Mark Fernandes** M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

This is an electronically authenticated report

Page 3 of 4

Jaladini Dulanka **Laboratory Technologist** Printed on: 29/04/2025 21:19

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Name : Mr. JEEVAN GAIRE

DOB : 10/10/1996 Age / Gender : 28 Y / Male

Referred by : Dr. AMAIZAH

Centre : CITICARE MEDICAL CENTER

Ref No. : 44071

Sample No. : 2504570080

Collected : 28/04/2025 22:00

Reported : 29/04/2025 20:12 **Reported** : 29/04/2025 20:59

HEMATOLOGY

Test Result Flag Unit Reference Range Methodology


COMPLETE BLOOD COUNT (CBC)

INTERPRETATION NOTES:

Please note update on CBC report format, reference ranges and method(Beckman Coulter).

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

This is an electronically authenticated report

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

Page 4 of 4

Tel: +971 4 398 8567

Jaladini Dulanka Laboratory Technologist Printed on: 29/04/2025 21:19

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE



