

ANNEXURE V

FMCNETWORK UAE

P. O. BOX: 50430, DUBAI, **Tel – 04 3871900, Fax – 04 3977842 Email – approval@fmchealthcare.ae Helpline Number: 600-565691**

Medical Expenses Claim form

Date: 10-Jun-2025

Clinic Name: CITICARE MEDICAL CENTER LLC
Card Holder's Name: SAWARAN CHAND
Card Holder's Tel No: 971589522956
Ins Card No: 1005-010-117490735-01
Company Name: FMC Standard Network Employee No: ________ Nationality: Indian



Clinical Details:	Temp36.7	B.P. <mark>114</mark>	Pulse. <mark>86</mark>				
Signs & Symptoms: risk of fall							
Date of Onset Illness :		○ Emergency ○ Wor	k related O New visit O Follow up visit				
Diagnosis: L50.0 - Allergic urticaria, T78.40XD - Allergy, unspecified, subsequent encounter, R05 - Cough							

Management plan (Services inside the clinic including injections and investigations)	
0005-111805-1021, CHLOROHISTOL 10MG , Pharmacy,96372, THER/PROPH/DIAG INJ SC/IM , Co.Pay,9, Consu	ultation Gp , General
Consultation	

signature with seal:

Dr .Frahan Ilyas Malik Physician-General Practitioner DHA-06441782-001 CITICARE MEDICAL CENTER DUBAI U.A.E

Diagnostic Procedures referred outside:

Doctor's Name: Dr.Farhan Iyas

I hereby authorize the physician, Hospital or pharmacy to file a claim for medical services on my behalf and I confirm that the above-mentioned examination/Investigation/therapy is given to me by the doctor. I hereby authorize any Clinic, Physician, Pharmacy or any other person who has provided medical services to me to furnish any and all information with regard to any medical history, medical condition, or medical services and copies of all medical and Clinic records.

Signature of the Patient

Date 10-Jun-2025

Pharmaceuticals (to be filled by treating doctor only)

Medicine	Dose	Duration	Quantity	Price
(CALCIUM CARBONATE : 80 MG/5ML) (SODIUM BICARBONATE : 133.5 MG/5ML) (SODIUM ALGINATE : 250 MG/5ML) SUSPENSION	SUSPENSION (200ML, BOTTLE)	5	1	0.0000
(BUTAMIRATE DIHYDROGEN CITRATE : 0.15% W/V) SYRUP	SYRUP (200ML, BOTTLE)	5	1	0.0000
(LORATADINE : 10 MG) TABLETS	TABLETS (10S, BLISTER PACK)	5	10	0.0000