

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Ms. MARY JOY	Sample UID No.	: 4091521
Age / Gender	: 36Y /FEMALE	Sample Collected On	: 29-06-2025 04:47PM
Patient ID	: QLD091321	Registered On	: 29-06-2025 04:48PM
Referred By	: Dr. AISHA	Reported on	: 30-06-2025 08:00PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 46246
Emirates ID / Passport No		Print Version	

CLINICAL PATHOLOGY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Urine Routine <i>Sample : Urine</i>					
Color	Pale Yellow	Pale Yellow			Refraction
Appearance	Clear	Clear			Refraction
pH	6.5	5 - 7.5			pH indicator
Specific Gravity	1.012	1.005 - 1.025			Ion Concentration
Urine Albumin	Negative	Negative			Automated Protein-Error-Of-Indicators
Glucose	Present(+++ +)	Negative			GOD/POD
Ketones	Negative	Negative			Legal's Test
Notes: Interpretation- *Positive result is seen in fasting, Pregnancy, Starvation,Diabetic Ketoacidosis * False positive result can occur with high colour urine, high specific gravity , low pH, Drugs like - Levodopa metabolites compounds with Sulfhydryl groups All results should be correlated with clinical history.					
Bilirubin	Negative	Negative			Reflectance Photometry
Urobilinogen	Normal	Normal			Reflectance Photometry
Nitrite	Negative	Negative			Reflectance Photometry
Pus Cells	0 - 2	0 - 5	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy
RBC	0-1	0-3	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy
Epithelial Cells	8 - 10	0 - 2	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Ms. MARY JOY	Sample UID No.	: 4091521
Age / Gender	: 36Y /FEMALE	Sample Collected On	: 29-06-2025 04:47PM
Patient ID	: QLD091321	Registered On	: 29-06-2025 04:48PM
Referred By	: Dr. AISHA	Reported on	: 30-06-2025 08:00PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 46246
Emirates ID / Passport No		Print Version	

Casts	Absent	Absent	/lpf		Auto Image EvaluationModule(AIEM)/Microscopy
Crystals	Absent	Absent	/lpf		Auto Image EvaluationModule(AIEM)/Microscopy
Mucus Thread	Absent	Absent			Auto Image Evaluation Module (AIEM)
Bacteria	Present	Absent			Auto Image EvaluationModule(AIEM)/Microscopy
--- END OF CLINICAL PATHOLOGY---					