

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : TABASSAM SHAHZAD MUHAMMAD LATIF

DOB/Gender : 14-06-1987 (37 Yrs 1 Month 15 Days/Male)

Lab No. : 22241990085

Request Date : 17-07-2024 12:39:10

Insurance : NEXTCARE File. No. : AAL02-350343

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No 40762

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	23.90 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 16-07-2024 20:00:00 Received On: 17-07-2024 12:39:00 Authenticated On: 17-07-2024 14:17:15

Released On: 17-07-2024 14:32:48

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

