

Name : Sinta Panca Sample Date : 27/08/2022 20:42 PM
Lab. No. : 3022112289 Report Date : 27/08/2022 20:54 PM
Contract. : Nas (WN, VN)-Dubai Branch Doctor references : Dr. Marvis Enyl
Patient No. : 30-78758
File No. : 37674

Branch : Al Borg Lab. Dubai Age : 29 Year DOB 05/07/1993 Sex : Female
Deirah

MISC. Unit

Test	Result	Ref. Range
Helicobacter Pylori Ab (Rapid test)	Negative	Negative

Comments

Sample type: Serum

Methodology: Qualitative lateral flow Immunoassay

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Verified By : Rizvath Noushad

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 12:55 28/08/2022

Page 1 Of 1

Powered by LDM www.nt-me.com

Name : Sinta Panca
Lab. No. : 3022112289
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-78758
File No. : 37674

Sample Date : 27/08/2022 20:42 PM
Report Date : 27/08/2022 20:53 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah	Age : 29 Year	DOB 05/07/1993	Sex : Female
---	----------------------	-----------------------	---------------------

Urine Analysis

Test	Result	Unit	Ref. Range
Urine Physical Examination			
Colour	Pale Yellow		Yellow
Aspect	Clear		Clear
Specific Gravity	1.005		1.005 - 1.028
pH	6.0		5 - 8
Leucocyte esterase	Absent		Absent
Nitrite	Absent		Absent
Protein	Absent		Absent
Glucose	Absent		Absent
Ketones	Absent		Absent
Urobilinogen	Normal Trace		Trace
Bilirubin	Absent		Absent
Blood and Haemoglobin	Absent		Absent
Urine Microscopic Examination			
W. B. Cs / HPF	1 - 2	cells	0 - 7
R. B. Cs / HPFs	0 - 2	cells	0 - 6
Epithelial Cells / HPF	Few	cells	Few to some cells
Casts	Absent		Absent
Crystals	Absent		Absent

Name : Sinta Panca
Lab. No. : 3022112289
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-78758
File No. : 37674

Sample Date : 27/08/2022 20:42 PM
Report Date : 27/08/2022 20:53 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah	Age : 29 Year	DOB 05/07/1993	Sex : Female
------------------------------------	---------------	----------------	--------------

Urine Analysis

Test	Result	Unit	Ref. Range
Amorphous Elements	Absent		Absent

Comments

Sample type: Urine

Methodology
Semi-automatic benchtop instrument Combiscreen 11SYS

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **