

Name : Daniel Christopher
Lab. No. : 3022112612
Contract. : Peshawer medical L.L.C
Patient No. : 30-78974
File No. : 37463

Sample Date : 31/08/2022 13:15 PM
Report Date : 31/08/2022 13:42 PM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah **Age** : 49 Year **DOB** 10/12/1973 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Cholesterol	202 H	mg/dl	No risk <200 Moderate risk 200 - 240 High risk >240

Comments

Primary sample: Serum
Methodology : Enzymatic colorimetric assay in the presence of peroxidase.

Triglycerides (TG) in Serum	275 H	mg/dL	Normal<200
-----------------------------	-------	-------	------------

Comments

Primary sample: Serum
Methodology : Enzymatic colorimetric assay

HDL Cholesterol	61	mg/dL	Optimum level ≥ 60 Borderline risk: 40-59 High risk: <40
-----------------	----	-------	--

Comments

Primary sample: Serum
Methodology : HOMOgeneous Enzymatic colorimetric assay.

LDL Cholesterol	87	mg/dl	Optimal <100 Near optimal 100-129 Borderline high 130-159 High 160-189 Very high >189
-----------------	----	-------	---

Comments

Sample type: Serum
Methodology: Calculation

*This is non-accredited test.

Name : Daniel Christopher
Lab. No. : 3022112612
Contract. : Peshawer medical L.L.C
Patient No. : 30-78974
File No. : 37463

Sample Date : 31/08/2022 13:15 PM
Report Date : 31/08/2022 13:42 PM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah **Age** : 49 Year **DOB** 10/12/1973 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Non-HDL Cholesterol	141	mg/dL	very high >220 High 190-219 Borderline high 160-189 Near Ideal 130-159 Ideal for people at risk of heart disease <130 Ideal for people at very high risk of heart disease <100

Comments

Patients with elevated levels of non-HDL-C and normal levels of LDL-C, often have an increased number of LDL particles, increased apo B or increased small, dense LDL particles and these are associated with an increased risk of CVD. Therefore non-HDL-C might be more valuable indicator of cardiovascular risk than LDL-C.
 The treatment goal for non-HDL cholesterol in persons with high triglycerides (>199 mg/dl) is 30 mg/dl higher than their LDL cholesterol goal.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical Pathology
 License no. 10944644-001

** End Of Report **

Name : Daniel Christopher
Lab. No. : 3022112612
Contract. : Peshawer medical L.L.C
Patient No. : 30-78974
File No. : 37463

Sample Date : 31/08/2022 13:15 PM
Report Date : 31/08/2022 13:42 PM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah Age : 49 Year DOB 10/12/1973 Sex : Male

Chemistry Unit

Test	Result	Unit	Ref. Range
Creatinine in Serum	0.91	mg/dl	0.67 - 1.17

Comments

Sample type: Serum

Methodology : Kinetic colorimetric assay Jaffe method with picrate in alkaline solution.

Uric Acid in Serum	8.8	H mg/dL	3.4 - 7
--------------------	-----	---------	---------

Comments

Sample type: Serum

Methodology :Enzymatic, colorimetric assay method

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 13:56 31/08/2022

Page 1 Of 1

Powered by LDM www.nt-me.com