

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name	: DONNA MADRIAGA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 01-Jan-1984 (38 Years) / FEMALE	Referral Doctor	: TOOBA KARIM
PatientID/Nationality	: 153980 / PHILIPPINES	LabID / Clinic No.	: 114101 / 29808

Test Name	Result	Unit	Ref. Range	Methodology
Glycohemoglobin A1	8.4 ^H	%	Non-diabetic: < 6.0 Glycemic control with diabetes: < 7.0	HPLC

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 14/Sep/22 08:50 AM
Reported On : 14/Sep/22 04:08 PM
Authorized On : 14/Sep/22 04:08 PM
Printed On : 14/Sep/22 04:24 PM

SILPA J S
LAB TECHNICIAN
38387451

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

**LABORATORY INVESTIGATION REPORT**

Name	: DONNA MADRIAGA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 01-Jan-1984 (38 Years) / FEMALE	Referral Doctor	: TOOBA KARIM
PatientID/Nationality	: 153980 / PHILIPPINES	LabID / Clinic No.	: 114101 / 29808

Test Name	Result	Unit	Ref. Range	Methodology
BIOCHEMISTRY				
CHLORIDE	102	mmol/L	95-105	Direct ISE
CREATININE	0.54	mg/dl	<1.4	Jaffe
POTASSIUM	4.9	mmol/L	3.5-5.5	Direct ISE
SODIUM	140	mmol/L	135-146	Direct ISE
UREA	19	mg/dl	5 - 43	Kinetic
URIC ACID	3.4	mg/dl	2.4 - 5.7	Colorimetric
CHOLESTROL, TOTAL	233 ^H	mg/dl	No risk : < 200 Moderate risk: 200 - 239 High risk: >= 240	Colorimetric
TRIGLYCERIDES	136	mg/dl	< 150	Enzymatic Colorimetric
HDL CHOLESTEROL	44.01 ^L	mg/dl	No risk: > 65 Moderate risk: 45 - 65 High risk: <45	Enzymatic Colorimetric
LDL CHOLESTEROL	162.3 ^H	mg/dl	Optimal : < 100 Above Optimal : 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: > 190	Calculated
TOTAL CHOL/HDL RATIO	5.3 ^H	Ratio	< 4.5	

**The target level varies depending on the added risk factors. *As per current NCEP Guidelines.

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 14/Sep/22 08:50 AM
Reported On : 14/Sep/22 04:08 PM
Authorized On : 14/Sep/22 04:08 PM
Printed On : 14/Sep/22 04:24 PM

SILPA J S
LAB TECHNICIAN
38387451