

Name : Ann Maria Rajeev Abraham
Lab. No. : 3022114339
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-80219
File No. : 37118
Sample Date : 19/09/2022 15:15 PM
Report Date : 19/09/2022 17:33 PM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah	Age : 30 Year	DOB 25/06/1992	Sex : Female
---	----------------------	-----------------------	---------------------

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	0.84	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:

- First trimester: 0.100-2.500 uIU/mL
- Second trimester: 0.200-3.000 uIU/mL
- Third trimester: 0.300-3.000 uIU/mL

Primary sample: Serum

Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
 Laboratory Director
 Physician Specialist Clinical
 Pathology
 License no. 10944644-001

** End Of Report **

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 17:59 19/09/2022

Page 1 Of 1

Powered by LDM www.nt-me.com