

Name : Kausar . **Sample Date** : 18/09/2022 22:03 PM
Lab. No. : 3022114310 **Report Date** : 19/09/2022 10:05 AM
Contract. : Peshawer medical L.L.C
Patient No. : 30-80195
File No. : 37841

Branch : Al Borg Lab. Dubai **Age** : 48 Year **DOB** 01/01/1974 **Sex** : Female
Deirah

Glycated Haemoglobin (HbA1c)

Test	Result	Unit	Ref. Range
Hb A1c % {According to (DCCT/ NGSP)}	14.1	%	(NGSP Standardized) Normal: 4 - 5.6 Prediabetic: 5.7 - 6.4 Diabetes: ≥ 6.5 Controlled Diabetes: <7
Mean of blood glucose (in the last 3 months)	358	mg/dl	

Comments

Primary sample: Whole blood
 Methodology: Turbidimetric inhibition immunoassay(TINIA)

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
 License no. 10944644-001

** End Of Report **

Name : Kausar . Sample Date : 18/09/2022 22:03 PM
Lab. No. : 3022114310 Report Date : 18/09/2022 22:35 PM
Contract. : Peshawer medical L.L.C
Patient No. : 30-80195
File No. : 37841

Branch : Al Borg Lab. Dubai Age : 48 Year DOB 01/01/1974 Sex : Female
Deirah

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	0.41	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:
• First trimester: 0.100-2.500 uIU/mL
• Second trimester: 0.200-3.000 uIU/mL
• Third trimester: 0.300-3.000 uIU/mL
Primary sample: Serum
Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 19:49 19/09/2022

Page 1 Of 1

Powered by LDM www.nt-me.com