

Name : Moses Migadde
Lab. No. : 3022116110
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-81468
File No. : 26300

Sample Date : 09/10/2022 17:26 PM
Report Date : 10/10/2022 08:34 AM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah **Age** : 32 Year **DOB** 01/02/1990 **Sex** : Male

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Hemoglobin	15.5	g/dL	13.5 - 17.5
Hematocrit	47.7	%	38.8 - 50
Red cell count	5.90 H	$\times 10^{12}/L$	4.32 - 5.72
MCV	80.8 L	fL	81.2 - 95.1
MCH	26.3 L	pg	26.5 - 32.6
MCHC	32.5	g/dL	32 - 36
RDW	13.1	%	11.8 - 15.6
Total Leucocytic Count	3.40 L	$\times 10^9/L$	3.5 - 10.5
Basophils absolute count	0.02	$\times 10^9/L$	0 - 0.3
Basophils relative count	0.59	%	
Eosinophils absolute count	0.03 L	$\times 10^9/L$	0.05 - 0.5
Eosinophils relative count	0.88	%	
Neutrophils absolute count	1.60 L	$\times 10^9/L$	1.7 - 7
Neutrophils relative count	47.06	%	
Lymphocytes absolute count	1.43	$\times 10^9/L$	0.9 - 3.1
Lymphocytes relative count	42.06	%	
Monocytes absolute count	0.32	$\times 10^9/L$	0.3 - 0.9
Monocytes relative count	9.41	%	

Name : Moses Migadde
Lab. No. : 3022116110
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-81468
File No. : 26300

Sample Date : 09/10/2022 17:26 PM
Report Date : 10/10/2022 08:34 AM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah Age : 32 Year DOB 01/02/1990 Sex : Male

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Platelet Count	262	$\times 10^9/L$	150 - 450

Comments

Sample type: EDTA Whole Blood

Methodology: (Hemoglobin =Cyanmethemoglobin) (Hematocrit = Calculation) (RBC, PLT, WBC and Diff Count = Flow cytometry)

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Moses Migadde
Lab. No. : 3022116110
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-81468
File No. : 26300
Sample Date : 09/10/2022 17:26 PM
Report Date : 09/10/2022 18:39 PM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah
Age : 32 Year
DOB 01/02/1990
Sex : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Cholesterol	139	mg/dl	No risk <200 Moderate risk 200 - 240 High risk >240

Comments

Primary sample: Serum
Methodology : Enzymatic colorimetric assay in the presence pf peroxidase.

Triglycerides (TG) in Serum	108	mg/dL	Normal<200
-----------------------------	-----	-------	------------

Comments

Primary sample: Serum
Methodology : Enzymatic colorimetric assay

HDL Cholesterol	30	L mg/dL	Optimum level ≥ 60 Borderline risk: 40-59 High risk: <40
-----------------	----	---------	--

Comments

Primary sample: Serum
Methodology : HOMOgeneous Enzymatic colorimetric assay.

LDL Cholesterol	88	mg/dl	Optimal <100 Near optimal 100-129 Borderline high 130-159 High 160-189 Very high >189
-----------------	----	-------	---

Comments

Sample type: Serum
Methodology: Calculation

*This is non-accredited test.

Name : Moses Migadde
Lab. No. : 3022116110
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-81468
File No. : 26300

Sample Date : 09/10/2022 17:26 PM
Report Date : 09/10/2022 18:39 PM
Doctor references : Dr. Tooba Karim

Branch : Al Borg Lab. Dubai Deirah **Age** : 32 Year **DOB** 01/02/1990 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Non-HDL Cholesterol	109	mg/dL	very high >220 High 190-219 Borderline high 160-189 Near Ideal 130-159 Ideal for people at risk of heart disease <130 Ideal for people at very high risk of heart disease <100

Comments

Patients with elevated levels of non-HDL-C and normal levels of LDL-C, often have an increased number of LDL particles, increased apo B or increased small, dense LDL particles and these are associated with an increased risk of CVD. Therefore non-HDL-C might be more valuable indicator of cardiovascular risk than LDL-C.
 The treatment goal for non-HDL cholesterol in persons with high triglycerides (>199 mg/dl) is 30 mg/dl higher than their LDL cholesterol goal.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical Pathology
 License no. 10944644-001

** End Of Report **