www.alborgdx.com



Report Date



: 14/10/2022 13:30 PM

Doctor references: Dr. Tooba Karim

Name : Imtiaz Ali Nazir Muhammad Sample Date : 13/10/2022 10:51 AM

Lab. No. : 3022116497

Contract. : Nas (GN, CN, EN, RN, SR)-Dubai

Branch

Patient No. : 30-81742 File No. : 37729

Branch : Al Borg Lab. Dubai Age : 49 Year DOB 01/02/1973 Sex : Male

Deirah

Cholesterol/HDL/LDL/Triglycerides

Test	Result		Unit	Ref. Range
Cholesterol	192		mg/dl	No risk <200 Moderate risk 200 - 240 High risk >240
Comments Primary sample: Serum Methodology: Enzymatic colorimetric assay in the presence pf peroxidase.				
Triglycerides (TG) in Serum	471	Н	mg/dL	Normal<200
Comments Primary sample: Serum Methodology: Enzymatic colorimetric assay				
HDL Cholesterol	29	L	mg/dL	Optimum level ≥ 60 Borderline risk: 40-59 High risk: <40
Comments Primary sample: Serum Methodology: HOmogeneous Enzymatic colorimetric assay.				
LDL Cholesterol	101	Н	mg/dl	Optimal <100 Near optimal 100-129 Borderline high 130-159 High 160-189 Very high >189

Comments

Sample type: Serum Methodology: Calculation

*This is non-accredited test.

All Rights Reseved © National Technology

This test was outsourced to an accredited laboratory.

Printed By: System Page 1 Of 2 PM :Printed Date 17:05 14/10/2022

Powered by LDM www.nt-me.com

www.alborgdx.com





Name : Imtiaz Ali Nazir Muhammad Sample Date : 13/10/2022 10:51 AM

Lab. No. : 3022116497 Report Date : 14/10/2022 13:30 PM

: Nas (GN, CN, EN, RN, SR)-Dubai Doctor references : Dr. Tooba Karim

Branch : 30-81742

File No. : 37729

Branch : Al Borg Lab. Dubai Age : 49 Year DOB 01/02/1973 Sex : Male

Deirah

Cholesterol/HDL/LDL/Triglycerides

Non-HDL Cholesterol 163 H mg/dL very high >220 High 190-219 Borderline high 160-1 Near Ideal 130-159 Ideal for people at rist disease <130 Ideal for people at verisk of heart disease	of heart y high

Comments

Contract.

Patients with elevated levels of non-HDL-C and normal levels of LDL-C, often have an increased number of LDL particles, increased apo B or increased small, dense LDL particles and these are associated with an increased risk of CVD. Therefore non-HDL-C might be more valuable indicator of cardiovascular risk than LDL-C.

The treatment goal for non-HDL cholesterol in persons with high triglycerides (>199 mg/dl) is 30 mg/dl higher than their LDL cholesterol goal.

Reviewed By:

Dr. Shailendra Rathod.MD Laboratory Director Physician Specialist Clinical Pathology

License no. 10944644-001

** End Of Report **

Verified By: Rizvath Noushad, Shailendra Rathod.MD

Printed By: System
All Rights Reseved © National Technology

Page 2 Of 2

PM :Printed Date 17:05 14/10/2022

Powered by LDM www.nt-me.com

www.alborgdx.com





Name : Imtiaz Ali Nazir Muhammad Sample Date : 13/10/2022 10:51 AM

Lab. No. : 3022116497

Contract. : Nas (GN, CN, EN, RN, SR)-Dubai

Branch

Patient No. : 30-81742

File No. : 37729

Branch : Al Borg Lab. Dubai Age : 49 Year DOB 01/02/1973 Sex : Male

Deirah

Chemistry Unit

Report Date

Test	Result	Unit	Ref. Range	
Glucose in Plasma (Random)	84	mg/dl	70 - 200	

Comments

Primary sample: Plasma

Methodology :Enzymatic reference method with hexokinase

**Please note new reference range

Reviewed By:

: 13/10/2022 11:26 AM

Doctor references: Dr. Tooba Karim

Dr. Shailendra Rathod.MD

Laboratory Director

Physician Specialist Clinical

Pathology

Pathology

License no. 10944644-001

** End Of Report **

Verified By: Shailendra Rathod.MD

Printed By: System

All Rights Reseved © National Technology

Printed Date PM 17:05 14/10/2022

Page 1 Of 1

Powered by LDM www.nt-me.com