

Name : Genet Melka **Sample Date** : 20/10/2022 08:53 AM
Lab. No. : 3022117215 **Report Date** : 21/10/2022 14:33 PM
Contract. : Peshawer medical L.L.C
Patient No. : 30-82237
File No. : 38075

Branch : Al Borg Lab. Dubai **Age** : 44 Year **DOB** 16/08/1978 **Sex** : Female
Deirah

Chemistry Unit

Test	Result	Unit	Ref. Range
Estradiol (E2)	36.0	pg/mL	Follicular 12.5 - 166 Ovulation 85.5 - 498 Luteal 43.8- 211 Post menopausal 5.0 - 54.7

Comments

Primary sample: Serum
 Methodology: Chemiluminescence immunoassay
 *This test was outsourced to an accredited laboratory.

Follicular Stimulating Hormone (FSH)	17.2	mIU/mL	Follicular 3.5 - 12.5 Midcycle 4.7 - 21.5 Luteal 1.7 - 7.7 P. Menopause 26 - 135
--------------------------------------	------	--------	---

Comments

Primary sample: Serum
 Methodology: Electrochemiluminescence Immunoassay.
 *This test was outsourced to an accredited laboratory.

Lutenizing Hormone (LH)	8.9	mIU/mL	Follicular 2.4 - 12.6 Ovulation 14.0 - 96 Luteal 1.0 - 11.4 P.Menopause 7.7 - 59
-------------------------	-----	--------	---

Comments

Primary sample: Serum
 Methodology: Electrochemiluminescence Immunoassay.

*This test was outsourced to an accredited laboratory.

Prolactin	32.7	H ng/mL	6 - 29.9
-----------	------	---------	----------

Comments

Primary sample: Serum
 Methodology: Chemiluminescence
 *This test was outsourced to an accredited laboratory.

Name : Genet Melka Sample Date : 20/10/2022 08:53 AM
Lab. No. : 3022117215 Report Date : 21/10/2022 14:33 PM
Contract. : Peshawer medical L.L.C
Patient No. : 30-82237
File No. : 38075

Branch : Al Borg Lab. Dubai Age : 44 Year DOB 16/08/1978 Sex : Female
Deirah

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	1.11	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:
• First trimester: 0.100-2.500 uIU/mL
• Second trimester: 0.200-3.000 uIU/mL
• Third trimester: 0.300-3.000 uIU/mL
Primary sample: Serum
Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****