



مختبرات البرج
Al Borg Diagnostics

طريق الو بكر الصديق، مقابل مركز القبائل، سنشري 21، بناية - دبي
Abu Baker Siddique Road, Opposite to Al Qabael Center, Century 21, Building, Dubai
T. +971 4 297 7780 ت.

Name : Mehak Kashif Ali
Lab. No. : 3022120115
Contract. : Peshawer medical L.L.C
Patient No. : 784198602539268
File No. : 38166

Sample Date : 21/11/2022 10:06 AM
Report Date : 21/11/2022 11:00 AM

Branch : Al Borg Lab. Dubai Deirah Age : 36 Year DOB 17/08/1986 Sex : Female

Chemistry Unit

Test	Result	Unit	Ref. Range
Urea in Serum	22	mg/dL	16 - 48.5

Comments

Sample type: Serum
Methodology: Kinetic with urea & glutamate dehydrogenase

Chloride in Serum	99	mmol/L	95 - 105 0 - 30 Days : 98 - 113 Adult : 98 - 107 Adult, >90 years : 98 - 111
-------------------	----	--------	---

Comments

Primary sample: Serum
Methodology: Ion Selective Electrode
*This test was outsourced to an accredited laboratory.

Potassium (K) in Serum	5.0	mmol/L	3.5 - 5.3 Newborn (<7 Days) : 3.7 - 5.9 Infant (7 Days - 1 Year) : 4.1 - 5.3 Child (1 Yrs - 18 Yrs) : 3.4 - 4.7 Adult (18 Yrs & above) : 3.5 - 5.1
------------------------	-----	--------	--

Comments

Primary sample: Serum
Methodology: Ion Selective Electrode
*This test was outsourced to an accredited laboratory.



مختبرات البرج
Al Borg Diagnostics

طريق الو بكر الصديق، مقابل مركز القبايل، سنشري 21، بناية - دبي
Abu Baker Siddique Road, Opposite to Al Qabael Center, Century 21, Building, Dubai
ت. +971 4 297 7780

Name : Mehak Kashif Ali
Lab. No. : 3022120115
Contract. : Peshawer medical L.L.C
Patient No. : 784198602539268
File No. : 38166

Sample Date : 21/11/2022 10:06 AM
Report Date : 21/11/2022 11:00 AM

Branch : Al Borg Lab. Dubai Deirah Age : 36 Year DOB 17/08/1986 Sex : Female

Chemistry Unit

Test	Result	Unit	Ref. Range
Sodium (Na) in Serum	137	mmol/L	135 - 150 Newborn (<7 Days) 133 - 146 Infant (7 Days - 1 Year) 139 - 146 Child (1 Yrs - 18 Yrs) 138 - 145 Adult (18 Yrs - 90 Yrs) 136 - 145 (Adult >90 Years) 132 - 146

Comments

Primary sample: Serum
Methodology: Ion Selective Electrode
*This test was outsourced to an accredited laboratory.

Reviewed By:

Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Verified By : Asmaa Ahmed Abdelsatar ,Shailendra Rathod.MD
Printed By: Mohamed Abu Naser

Printed Date PM 17:02 21/11/2022

All Rights Reserved © National Technology

Page 2 Of 2

Powered by LDM www.nt-me.com

Book your appointment today

800 2526 74 | www.alborgdx.com | f @ alborguae