

Name : Patricia Mbata Muli
Lab. No. : 3022121098
Contract. : Peshawer medical L.L.C
Patient No. : 30-84917
File No. : 38654

Sample Date : 02/12/2022 13:52 PM
Report Date : 03/12/2022 15:53 PM

Branch : Al Borg Lab. Dubai Deirah **Age** : 35 Year **DOB** 01/09/1987 **Sex** : Female

Chemistry Unit

Test	Result	Unit	Ref. Range
Estradiol (E2)	84.4	pg/mL	Follicular phase: 12.5 - 166 Ovulation phase: 85.5- 498 Luteal phase: 43.8- 211 Post menopausal: 5.0 – 54.7

Comments

Primary sample: Serum
Methodology: Chemiluminescence immunoassay
*This test was outsourced to an accredited laboratory.

Follicular Stimulating Hormone (FSH)	6.9	mIU/mL	Follicular phase : 3.5 - 12.5 Ovulation phase: 4.7 – 21.5 Luteal phase : 1.7 – 7.7 Postmenopause : 26 – 135
--------------------------------------	-----	--------	--

Comments

Primary sample: Serum
Methodology: Electrochemiluminescence Immunoassay.
*This test was outsourced to an accredited laboratory.

Lutenizing Hormone (LH)	4.8	mIU/mL	Follicular phase : 2.4 - 12.6 Mid-cycle : 14 - 96 Luteal phase : 1.0 - 11.4 Postmenopause : 7.7 – 59
-------------------------	-----	--------	---

Comments

Primary sample: Serum
Methodology: Electrochemiluminescence Immunoassay.
*This test was outsourced to an accredited laboratory.

Prolactin	19.6	ng/mL	6 - 29.9
-----------	------	-------	----------

Comments

Primary sample: Serum
Methodology: Chemiluminescence
*This test was outsourced to an accredited laboratory.

Name : Patricia Mbata Muli Sample Date : 02/12/2022 13:52 PM
Lab. No. : 3022121098 Report Date : 03/12/2022 15:53 PM
Contract. : Peshawer medical L.L.C
Patient No. : 30-84917
File No. : 38654

Branch : Al Borg Lab. Dubai Age : 35 Year DOB 01/09/1987 Sex : Female
Deirah

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	2.86	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:

- First trimester: 0.100-2.500 uIU/mL
- Second trimester: 0.200-3.000 uIU/mL
- Third trimester: 0.300-3.000 uIU/mL

Primary sample: Serum

Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Verified By : Shailendra Rathod.MD ,Tasneem M Mukri

Printed By: System

Printed Date AM 09:10 04/12/2022

Page 2 Of 2

All Rights Reserved © National Technology

Powered by LDM www.nt-me.com