

Name : Abid Haider Alam
Lab. No. : 3022121624
Contract. : Peshawer medical L.L.C
Patient No. : 784197287924639
File No. : 32880

Sample Date : 08/12/2022 19:20 PM
Report Date : 08/12/2022 20:31 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah **Age** : 50 Year **DOB** 13/09/1972 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Cholesterol	171	mg/dl	No risk <200 Moderate risk 200 - 240 High risk >240

Comments

Primary sample: Serum
 Methodology : Enzymatic colorimetric assay in the presence pf peroxidase.

Triglycerides (TG) in Serum	94	mg/dL	Normal<200
-----------------------------	----	-------	------------

Comments

Primary sample: Serum
 Methodology : Enzymatic colorimetric assay

HDL Cholesterol	45	L mg/dL	Optimum level ≥ 60 Borderline risk: 40-59 High risk: <40
-----------------	----	---------	--

Comments

Primary sample: Serum
 Methodology : HOMOgeneous Enzymatic colorimetric assay.

LDL Cholesterol	107	H mg/dl	Optimal <100 Near optimal 100-129 Borderline high 130-159 High 160-189 Very high >189
-----------------	-----	---------	---

Comments

Sample type: Serum
 Methodology: Calculation

*This is non-accredited test.

Name : Abid Haider Alam
Lab. No. : 3022121624
Contract. : Peshawer medical L.L.C
Patient No. : 784197287924639
File No. : 32880

Sample Date : 08/12/2022 19:20 PM
Report Date : 08/12/2022 20:31 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah Age : 50 Year DOB 13/09/1972 Sex : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Non-HDL Cholesterol	126	mg/dL	very high >220 High 190-219 Borderline high 160-189 Near Ideal 130-159 Ideal for people at risk of heart disease <130 Ideal for people at very high risk of heart disease <100

Comments

Patients with elevated levels of non-HDL-C and normal levels of LDL-C, often have an increased number of LDL particles, increased apo B or increased small, dense LDL particles and these are associated with an increased risk of CVD. Therefore non-HDL-C might be more valuable indicator of cardiovascular risk than LDL-C.
The treatment goal for non-HDL cholesterol in persons with high triglycerides (>199 mg/dl) is 30 mg/dl higher than their LDL cholesterol goal.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Abid Haider Alam
Lab. No. : 3022121624
Contract. : Peshawer medical L.L.C
Patient No. : 784197287924639
File No. : 32880

Sample Date : 08/12/2022 19:20 PM
Report Date : 08/12/2022 20:29 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah Age : 50 Year DOB 13/09/1972 Sex : Male

Glycated Haemoglobin (HbA1c)

Test	Result	Unit	Ref. Range
Hb A1c % {According to (DCCT/ NGSP)}	8.2	%	(NGSP Standardized) Normal: 4 - 5.6 Prediabetic: 5.7 - 6.4 Diabetes: ≥ 6.5 Controlled Diabetes: <7
Mean of blood glucose (in the last 3 months)	189	mg/dl	

Comments

Primary sample: Whole blood
Methodology: Turbidimetric inhibition immunoassay(TINIA)

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **