

Name : Ali Nawaz Khadim
Lab. No. : 3022121838
Contract. : Peshawer medical L.L.C
Patient No. : 30-85413
File No. : 38459

Sample Date : 11/12/2022 17:17 PM
Report Date : 13/12/2022 14:53 PM

Branch : Al Borg Lab. Dubai Deirah **Age** : 37 Year **DOB** 13/12/1985 **Sex** : Male

Chemistry Unit

Test	Result	Unit	Ref. Range
Free T3	2.31	pg/mL	2 - 4.4

Comments

Sample type: Serum
Methodology: Electrochemiluminescence

Free T4	1.15	ng/dL	0.93 - 1.7
---------	------	-------	------------

Comments

Primary sample: Serum
Methodology: Electrochemiluminescence

Thyroid Stimulating Hormone (TSH)	1.57	uIU/mL	0.27 - 4.2
-----------------------------------	------	--------	------------

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:

- First trimester: 0.100-2.500 uIU/mL
- Second trimester: 0.200-3.000 uIU/mL
- Third trimester: 0.300-3.000 uIU/mL

Primary sample: Serum
Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 16:17 14/12/2022

Page 1 Of 1

Powered by LDM www.nt-me.com